

[2016-NEW! Recently Published PassLeader 70-414 Exam VCE and PDF Dumps For Free Share (Question 101 – Question 120)

100% Valid 70-414 Exam Pass Tips: PassLeader's 247q 70-414 exam dumps were updated in recent days with new 70-414 exam questions added, PassLeader ensure the latest 70-414 VCE dumps or 70-414 PDF dumps are the newest and the most valid, our 70-414 practice tests will help you 100 percent passing 70-414 exam. Visit passleader.com and get the 70-414 exam questions with PDF and VCE. New version VCE simulator is also free now. keywords: 70-414 exam,247q 70-414 exam dumps,247q 70-414 exam questions,70-414 pdf dumps,70-414 practice test,70-414 vce dumps,70-414 study guide,70-414 braindumps,Implementing an Advanced Server Infrastructure Exam P.S. Download Free 70-414 PDF Dumps and Preview PassLeader 70-414 VCE Dumps At The End Of This Post!!! (Ctrl+End) QUESTION 101 You need to implement a solution for the email attachments. Both organizations exchange root CA certificates and install the certificates in the relevant stores. You duplicate the Enrollment Agent certificate template and generate a certificate based on the new template. Which additional two actions should you perform? Each Answer presents part of the solution. A. Request cross-certification authority certificates.B. Create Capolicy.inf files.C. Request subordinate CA certificates.D. Create Policy.inf files. Answer: AD QUESTION 102 You need to recommend a design that meets the technical requirements for managing the Hyper-V hosts by using VMM. What should you recommend? To answer, select the appropriate options in the answer area. **Answer Area**

Minimum number of host groups in the London office:

0
1
2
3
4
5

Minimum number of host groups in the Madrid office:

0
1
2
3
4
5

User roles required to administer the Hyper-V hosts in each office:

Application Administrator
Fabric Administrator
Read-Only Administrator
Tenant Administrator

www.passleader.com

Answer: **Answer Area**

Minimum number of host groups in the London office:

0
1
2
3
4
5

Minimum number of host groups in the Madrid office:

0
1
2
3
4
5

User roles required to administer the Hyper-V hosts in each office:

Application Administrator
Fabric Administrator
Read-Only Administrator
Tenant Administrator

www.passleader.com

QUESTION 103 You need to recommend a monitoring solution for Proseware. Which three actions should you recommend performing in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

- Configure a notification subscription.
- Configure an availability monitor.
- From the Virtual Machine Manager console, configure Operations Manager integration.
- From the Operations Manager console, configure VMM integration.
- Install the Operations Manager console on the VMM server.
- Install the Virtual Machine Manager console on the Operations Manager server.

Answer Area

www.passleader.com

Answer:

Actions

- Configure an availability monitor.
- From the Operations Manager console, configure VMM integration.
- Install the Virtual Machine Manager console on the Operations Manager server.

Answer Area

- Install the Operations Manager console on the VMM server.
- From the Virtual Machine Manager console, configure Operations Manager integration.
- Configure a notification subscription.

www.passleader.com

Case Study 4: Northwind Traders (QUESTION 104 - QUESTION 114)
Overview Northwind Traders is an IT services and hosting provider. Northwind Traders has two main data centers in North America. The data centers are located in the same city. The data centers connect to each other by using high-bandwidth, low-latency WAN links. Each data center connects directly to the Internet. Northwind Traders also has a remote office in Asia that connects to both of the North American data centers by using a WAN link. The Asian office has 30 multipurpose servers. Each North American data center contains two separate network segments. One network segment is used to host the internal servers of Northwind Traders. The other network segment is used for the hosted customer environments.
Existing Environment Active Directory The network contains an Active Directory forest named northwindtraders.com. The forest contains a single domain. All servers run Windows Server 2012 R2.
Server Environment The network has the following technologies deployed:- Service Provider Foundation- Windows Azure Pack for Windows Server- System Center 2012 R2 Virtual Machine Manager (VMM)- An Active Directory Rights Management Services (AD RMS) cluster- An Active Directory Certificate Services (AD CS) enterprise certification authority (CA)
 All newly deployed servers will include the following components:- Dual 10-GbE Remote Direct Memory Access (RDMA)-capable network adapters- Dual 1-GbE network adapters- 128 GB of RAM
Requirements Business Goals Northwind Traders will provide hosting services to two customers named Customer1 and Customer2. The network of each customer is configured as shown in the following table:

Infrastructure component
System Center 2012 R2 Virtual Machine Manager (VMM)
System Center 2012 R2 App Controller
Active Directory Certificate Services (AD CS)
Active Directory Rights Management Services (AD RMS)

Planned Changes Northwind Traders plans to implement the following changes:- Deploy System Center 2012 R2 Operations Manager.- Deploy Windows Server 2012 R2 iSCSI and SMB-based storage.- Implement Hyper-V Recovery Manager to protect virtual machines.- Deploy a certificate revocation list (CRL) distribution point (CDP) on the internal network.- For Customer 1, install server authentication certificates issued by the CA of Northwind Traders on the virtual machine in the hosting networks.

General RequirementsNorthwind Traders identifies the following requirements:- Storage traffic must use dedicated adapters.- All storage and network traffic must be load balanced.- The amount of network traffic between the internal network and the hosting network must be minimized.- The publication of CRLs to CDPs must be automatic.- Each customer must use dedicated Hyper-V hosts.- Administrative effort must be minimized, whenever possible.- All servers and networks must be monitored by using Operations Manager.- Anonymous access to internal file shares from the hosting network must be prohibited.- All Hyper-V hosts must use Cluster Shared Volume (CSV) shared storage to host virtual machines.- All Hyper-V storage and network traffic must remain available if single network adapter fails.- The Hyper-V hosts connected to the SMB-based storage must be able to make use of the RDMA technology.- The number of servers and ports in the hosting environment to which the customer has access must be minimized.**Customer1 Requirements**Northwind Traders identifies the following requirements for Customer1:- Customer1 must use SMB-based storage exclusively.- Customer1 must use App Controller to manage hosted virtual machines.- The virtual machines of Customer1 must be recoverable if a single data center fails.- Customer1 must be able to delegate self-service roles in its hosted environment to its users.- Customer1 must be able to check for the revocation of certificates issued by the CA of Northwind Traders.- The users of Customer1 must be able to obtain use licenses for documents protected by the AD RMS of Northwind Traders.- Certificates issued to the virtual machines of Customer1 that reside on the hosted networks must be renewed automatically.**Customer2 Requirements**Northwind Traders identifies the following requirements for Customer2:- Customer2 must use iSCSI-based storage exclusively.- All of the virtual machines of Customer2 must be migrated by using a SAN transfer.- None of the metadata from the virtual machines of Customer2 must be stored in Windows Azure.- The network configuration of the Hyper-V hosts for Customer2 must be controlled by using logical switches.- The only VMM network port profiles and classifications allowed by Customer2 must be low-bandwidth, medium-bandwidth, or high-bandwidth.- The users at Northwind Traders must be able to obtain use licenses for documents protected by the AD RMS cluster of Customer2. Customer2 plans to decommission its AD RMS cluster during the next year. **QUESTION 104**You need to recommend a monitoring solution for Northwind Traders. What is the best approach to achieve the goal? More than one answer choice may achieve the goal. Select the BEST answer. A. Three Operations Manager management servers and two Operations Manager gateway serversB. One Operations Manager management serverC. Two Operations Manager management servers and three Operations Manager gateway serversD. Five Operations Manager management servers **Answer: C** **QUESTION 105**You plan to implement a solution that meets the certificate requirements of Customer1. You need to identify which role services must be deployed to the hosting environment. Which two role services should you identify? Each Answer presents part of the solution. A. Certification Authority Web EnrollmentB. Online ResponderC. Certificate Enrollment Policy Web ServiceD. Certificate Enrollment Web Service **Answer: CD** **QUESTION 106**You need to recommend changes to allow Customer1 to delegate permissions in its hosting environment to its users. Where should you recommend performing each task? To answer, select the appropriate location for each task in the answer area.

Answer Area

Create a tenant and a stamp:

Create a Tenant Administrator user role:

Create an Application Administrator (Application Administrator Service User) user role:

Create an association between the Application Administrator user role and the self-service user role:

www.passleader.com

Answer:

Answer Area

Create a tenant and a stamp:
VMM

Create a Tenant Administrator user role:
VMM

Create an Application Administrator (Self-Service User) user role:
VMM

Create an association between the tenant and the self-service user role:
VMM

www.passleader.com

QUESTION 107 You need to recommend a solution that meets the AD RMS requirements of Customer1 and Customer2. Which actions should you recommend performing for each customer? To answer, select the appropriate customer for each action in the answer area.

Answer Area

Configure a trusted publishing domain on the AD RMS cluster of Northwind Traders:
Customer2

Configure a trusted user domain on the AD RMS cluster of Northwind Traders:
Customer2

Modify the DNS record of the AD RMS cluster of the customer:
Customer2

Allow communication to the AD RMS licensing cluster of Northwind Traders:
Customer2

www.passleader.com

Answer: **Answer Area**

www.passleader.com

Configure a trusted publishing domain on the AD RMS cluster of Northwind Traders:
Customer2

Configure a trusted user domain on the AD RMS cluster of Northwind Traders:
Customer2

Modify the DNS record of the AD RMS cluster of the customer:
Customer2

Allow communication to the AD RMS licensing cluster of Northwind Traders:
Customer2

QUESTION 108 You need to prepare for the migration of virtual machines across the Hyper-V hosts of Customer2. Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Install the iSCSI Target Server role service on the Hyper-V hosts.	
From the Virtual Machine Manager console, add iSCSI arrays to the Hyper-V hosts.	
Install the Multipath I/O (MPIO) feature on the Hyper-V hosts.	
From the Virtual Machine Manager console, add disks to the Hyper-V hosts.	
From the Virtual Machine Manager console, assign a stored virtual machine path to the cloud of Customer2.	

www.passleader.com

Answer:

Actions	Answer Area
Install the iSCSI Target Server role service on the Hyper-V hosts.	From the Virtual Machine Manager console, add iSCSI arrays to the Hyper-V hosts.
	From the Virtual Machine Manager console, add disks to the Hyper-V hosts.
	Install the Multipath I/O (MPIO) feature on the Hyper-V hosts.
From the Virtual Machine Manager console, assign a stored virtual machine path to the cloud of Customer2.	

www.passleader.com

QUESTION 109 You need to recommend a network configuration for the newly deployed Hyper-V hosts used by Customer1. On which network adapter should you recommend performing each configuration? To answer, select the appropriate network adapter for each configuration in the answer area. **Answer Area**

Create a team:
1-GbE network adapters
10-GbE network adapters

Create a virtual switch and virtual network adapters:
1-GbE network adapters
10-GbE network adapters

Assign IP addresses to the physical adapters:
1-GbE network adapters
10-GbE network adapters

Assign IP addresses to virtual adapters:
1-GbE network adapters
10-GbE network adapters

www.passleader.com

Answer: **Answer Area**

Create a team:
1-GbE network adapters
10-GbE network adapters

Create a virtual switch and virtual network adapters:
1-GbE network adapters
10-GbE network adapters

Assign IP addresses to the physical adapters:
1-GbE network adapters
10-GbE network adapters

Assign IP addresses to virtual adapters:
1-GbE network adapters
10-GbE network adapters

www.passleader.com

QUESTION 110 You need to recommend which setting must be applied to the virtualization infrastructure of Northwind Traders to minimize the impact of multiple virtual machines starting concurrently. What command should you recommend running? To answer, select the appropriate options in the answer area.

Answer Area

www.passleader.com

(), =

Get-Cluster
Get-VMHost
Set-ClusterParameter
Set-VMHost

BlockCacheSize
ClusSvcRegroupOpeningTimeout
ClusterGroupWaitDelay
HangRecoveryAction

0
\$192
\$false
\$true

Answer: Answer Area

www.passleader.com

(), =

Get-Cluster
Get-VMHost
Set-ClusterParameter
Set-VMHost

BlockCacheSize
ClusSvcRegroupOpeningTimeout
ClusterGroupWaitDelay
HangRecoveryAction

0
\$192
\$false
\$true

QUESTION 111 You need to prepare the required Hyper-V virtual network components for Customer2. Which four objects should you create and configure in sequence? To answer, move the appropriate objects from the list of objects to the answer area and arrange them in the correct order.

Objects	Answer Area
a network site	
an uplink port profile	
a logical network	
a logical switch	
a virtual port profile	

Answer:

Objects	Answer Area
a network site	a logical network
	an uplink port profile
	a virtual port profile
	a logical switch

QUESTION 112 You need to implement a Hyper-V Recovery Manager solution in the hosting environment of Northwind Traders. Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
From the Windows Azure Management Portal, upload a .cer file.	
On the VMM server, download and install the Hyper-V Recovery Manager Provider.	
From the Virtual Machine Manager console, select the Synchronize cloud data with the vault option.	
From the Windows Azure Management Portal, create a Hyper-V Recovery Manager vault.	
From the Virtual Machine Manager console, enable the Send configuration data about this cloud to the Windows Azure Hyper-V Recovery Manager option.	

www.passleader.com

Answer:

Actions	Answer Area
	From the Windows Azure Management Portal, create a Hyper-V Recovery Manager vault.
	From the Windows Azure Management Portal, upload a .cer file.
	On the VMM server, download and install the Hyper-V Recovery Manager Provider.
From the Virtual Machine Manager console, enable the Send configuration data about this cloud to the Windows Azure Hyper-V Recovery Manager option.	From the Virtual Machine Manager console, select the Synchronize cloud data with the vault option.

www.passleader.com

QUESTION 113 You need to recommend a configuration for the CA extensions of Northwind Traders that meets the certificate revocation requirement of Customer1. What should you recommend? To answer, select the appropriate prefix of the target location for the each extension settings in the answer area. **Answer Area**

Publish CRLs to this location:

Include in the CDP extension of issued certificates:

www.passleader.com

Answer: **Answer Area**

Publish CRLs to this location:

Include in the CDP extension of issued certificates:

www.passleader.com

QUESTION 114Your network contains a main data center and a disaster recovery data center. Each data center contains a Storage Area Network (SAN). The main data center contains a two-node failover cluster named Cluster1 that hosts a Microsoft SQL Server 2012 database named DB1. The database files in DB1 are stored on the SAN in the main office. The disaster recovery data center contains a server that runs SQL Server 2012. You need to recommend a disaster recovery solution for the SQL Server database. The solution must ensure that the database remains available if the main data center fails. What should you recommend? More than one answer choice may achieve the goal. Select the BEST answer. A. Deploy Distributed File System (DFS) Replication.B. Extend the failover cluster to the disaster recovery data center.C. Implement a Cluster Shared Volume (CSV) and move the database files to the CSV.D. Implement SQL Server database replication between the two data centers. Answer: D

QUESTION 115Your Active Directory currently contains five virtualized domain controllers that run Windows Server 2012 R2. The system state of each domain controller is backed up daily. The backups are shipped to a remote location weekly. Your company recently implemented a disaster recovery site that contains several servers. The servers run Windows Server 2012 R2 and have the Hyper-V server role installed. The disaster recovery site has a high-speed WAN link to the main office. You need to create an Active Directory recovery plan that meets the following requirements:- Restores the Active Directory if a catastrophe prevents all access to the main office.- Minimizes data loss.What should you include in the plan? A. Hyper-V replicasB. Live migrationC. Virtual machine checkpointsD. System state restores Answer: A

QUESTION 116Your network contains 500 client computers that run Windows 7 and a custom application named App1. App1 uses data stored in a shared folder. You have a failover cluster named Cluster1 that contains two servers named Server1 and Server2. Server1 and Server2 run Windows Server 2012 and are connected to an iSCSI Storage Area Network (SAN). You plan to move the shared folder to Cluster1. You need to recommend which cluster resource must be created to ensure that the shared folder can be accessed from Cluster1. What should you recommend? More than one answer choice may achieve the goal. Select the BEST answer. A. The Generic Application cluster roleB. The DFS Namespace Server cluster roleC. The clustered File Server role of the File Server for general use typeD. The clustered File Server role of the File Server for scale-out application data type Answer: C


QUESTION 117Your network contains five servers that run Windows Server 2012 R2. You install the Hyper-V server role on the servers. You create an external virtual network switch on each server. You plan to deploy five virtual machines to each Hyper-V server. Each virtual machine will have a virtual network adapter that is connected to the external virtual network switch and that has a VLAN identifier of 1. Each virtual machine will run Windows Server 2012 R2. All of the virtual machines will run the identical web application. You plan to install the Network Load Balancing (NLB) feature on each virtual machine and join each virtual machine to an NLB cluster. The cluster will be configured to use unicast only. You need to ensure that the NLB feature can distribute connections across all of the virtual machines. Solution: From the properties of each virtual machine, you enable MAC address spoofing for the existing virtual network adapter. Does this meet the goal? A. YesB. No Answer: A

QUESTION 118Your network contains five servers that run Windows Server 2012 R2. You install the Hyper-V server role on the servers. You create an external virtual network switch on each server. You plan to deploy five virtual machines to each Hyper-V server. Each virtual machine will have a virtual network adapter that is connected to the external virtual network switch and that has a VLAN identifier of 1. Each virtual machine will run Windows Server 2012 R2. All of the virtual machines will run the identical web application. You plan to install the Network Load Balancing (NLB) feature on each virtual machine and join each virtual machine to an NLB cluster. The cluster will be configured to use unicast only. You need to ensure that the NLB feature can distribute connections across all of the virtual machines. Solution: On each Hyper-V server, you create a new external virtual network switch. From the properties of each virtual machine, you add a second virtual network adapter and connect the new virtual network adapters to the new external virtual network switches. Does this meet the goal? A. YesB. No Answer: B

QUESTION 119Your network contains five servers that run Windows Server 2012 R2. You install the Hyper-V server role on the servers. You create an external virtual network switch on each server. You plan to deploy five virtual machines to each Hyper-V server. Each virtual machine will have a virtual network adapter that is connected to the external virtual network switch and that has a VLAN identifier of 1. Each virtual machine will run Windows Server 2012 R2. All of the virtual machines will run the identical web application. You plan to install the Network Load Balancing (NLB) feature on each virtual machine and join each virtual machine to an NLB cluster. The cluster will be configured to use unicast only. You need to ensure that the NLB feature can distribute connections across all of the virtual machines. Solution: On each Hyper-V server, you create a new private virtual network switch. From the properties of each virtual machine, you add a second virtual network adapter and connect the new virtual network adapters to the new private virtual network switches. Does this meet the goal? A. YesB. No Answer: B

QUESTION 120Your network contains five servers that run Windows Server 2012 R2. You install the Hyper-V server role on the servers. You create an external virtual network switch on each server. You plan to deploy five virtual machines to each Hyper-V server. Each virtual machine will have a virtual network adapter that is connected to the external virtual network switch and that has a VLAN identifier of 1. Each

virtual machine will run Windows Server 2012 R2. All of the virtual machines will run the identical web application. You plan to install the Network Load Balancing (NLB) feature on each virtual machine and join each virtual machine to an NLB cluster. The cluster will be configured to use unicast only. You need to ensure that the NLB feature can distribute connections across all of the virtual machines. Solution: From the properties of each virtual machine, you add a second virtual network adapter. You connect the new virtual network adapters to the external virtual network switch and configure the new virtual network adapters to use a VLAN identifier of 2. Does this meet the goal? A. Yes B. No Answer: B Download Free 70-414 PDF Dumps From Google Drive: https://drive.google.com/open?id=0B-ob6L_QjGLpfmxzR3ZsVU52M0wxX2d6OWtDWjJSZVE5Tm81bEpDak5MQWIOTHBDdE RCWXM (Explanation For Every Question Is Available!) PassLeader 70-414 VCE Dumps Screenshots:



Download New 70-414 VCE Dumps From PassLeader: <http://www.passleader.com/70-414.html> (New Questions Are 100% Available and Wrong Answers Have Been Corrected!!!)