

[22/May/2019 Updated Download PassLeader 300-320 VCE Practice Test And PDF Study Guide Collection

New Updated 300-320 Exam Questions from PassLeader 300-320 PDF dumps! Welcome to download the newest PassLeader 300-320 VCE dumps: https://www.passleader.com/300-320.html (628 Q&As) Keywords: 300-320 exam dumps, 300-320 exam questions, 300-320 VCE dumps, 300-320 PDF dumps, 300-320 practice tests, 300-320 study guide, 300-320 braindumps, Designing Cisco Network Service Architectures Exam P.S. New 300-320 dumps PDF: https://drive.google.com/open?id=0B-ob6L_QjGLpUjVQcjU5aFFtWVU NEW QUESTION 608Which two modes for deploying Cisco TrustSec are valid? (Choose two.) A. openB. high availabilityC. monitorD. low-impactE. cascade Answer: CD NEW QUESTION 609An engineer has proposed the deployment of a Cisco ACI fabric solution to introduce automation and zero-touch operation experience to a DC network. Which type of virtualization technology is utilized by the Cisco ACI to encapsulate the traffic inside the fabric and to virtualize the physical infrastructure? A. STPB. IPsecC. VXLAND. NSX Answer: C NEW QUESTION 610A customer has an exising WAN circult with capacity of 10 Mbps. The circuit has 6 Mbps of various user traffic and 5 Mbps of real-time audio traffic on average. Which two measures could be taken that avoid loss of real time traffic? (Choose two.) A. Increase the WAN circuit bandwidth.B. Police the traffic to 3.3 Mbps and allow excess traffic to be remarked to the default queue.C. Ensure that real time traffic is prionitized over other traffic.D. Configure congestion avoidance mechanism WRED within the prority queue.E. Police the traffic to 5 Mbps and allow excess traffic to be remarked toi the default queue. Answer: AC NEW QUESTION 611Management has chosen to implement a top-of-the-rack data center design. Which two benefits of moving to this model are true? (Choose two.) A. easier per rack upgradesB. decreased cabling costsC. directly connected racks in the rowD. fewer ports required in the aggregationE. fewer switches to manage Answer: AB NEW QUESTION 612During an upgrade of an existing data center, a network team must design segmentation into existing networks. Due to legacy applications, the IP addresses cannot change. Which firewall deployment model meets these requirements? A. routed modeB. multicontext modeC. transparent modeD. cluster mode Answer: D NEW QUESTION 613Management has requested that all web traffic be filtered through a proxy without the client's knowledge. Which mode does an engineer use to design the web proxy to accomplish this task without additional configuration of the web browser? A. explicit mode with PAC filesB. transparent mode without WCCPC. transparent mode with WCCPD. explicit mode without PAC files Answer: C NEW OUESTION 614Which Cisco technology uses the IS-IS protocol to avoid STP in the data center? A. FabricPathB. TRILLC. VPCD. VSS Answer: A NEW QUESTION 615Which two characteristics of MSDP when designing an interdomain multicast network are true? (Choose two.) A. MSDP is a mechanism that allows RPs to share information about active sources.B. Any network utilizing iBGP or eBGP can use MSDPC. In the PIM-SM model, multicast sources and receivers must register with their local RP.D. RPs in other domains have full knowledge of sources located in other domains.E. The MSDP speaker periodically sends SAs that include all sources in all discovered domains. Answer: BD NEW QUESTION 616An engineer is configuring BGP as the routing protocol between the CE router of an enterprise and the PE router of the service provider. The interconnection between the CE and PE is direct and is provided through a Metro Ethernet link The engineer notices that attermpts to hijack the established eBGP peering session have been made by a network segment that is not between the eBGP peers. Which BGP mechanism can be deployed to protect the session from this type of attack? A. BGP outbound route filters.B. BGP TTL security check.C. BGP AS path length limiting.D. BGP communities. Answer: B NEW QUESTION 617An engineer is working on a design solution for a large hub-and-spoke EIGRP network. Which feature helps to make this design more stable while also reducing resource utilization? A. QosB. Network summarizationC. Stub routingD. Route filtering Answer: C NEW QUESTION 618A network architect is designing a VPN solution for a client with these requirements multicast supported 80% of traffic is spoke to spoke minimal configuration. Which VPN type is the best choice? A. VTIB. IPsec direct encapsulationC. DMVPND. GRE over IPsec Answer: C NEW QUESTION 619When designing a Data Center Interconnect solution, which two statements describe benefits of utilizing A-VPLS for Layer 2 extension? (Choose two.) A. Redundancy is addressed without enabling Spanning Tree Protocol in The overlay of the Layer 2 connection on the Layer 3 transport hides any physical convergence. C. Integrated Layer 3 technology responds upon failure.D. A-VPLS utlzes the Cisco Catalyst 6500 Series VSS feature to provide native dual-homing.E. A-VPLS provides flow-based load balancing over equal-cost multipath paths. Answer: BE NEW OUESTION 620An engineer is responsible for the network security design of a small branch. Which security segment does the engineer propose to host the public services of the enterprise such as DNS, email, and web? A. remote access VPNB. service provider edgeC. public access DMZ D. external public network Answer: C NEW QUESTION 621An ISP is offering two MPLS circuits to an office when one of the links fails. Which routing feature provides the fastest possible convergence to the failover ink? A. BFDB. UDLDC. TTLD.

Multipath Answer: B NEW QUESTION 622Drag and DropDrag and drop the Data Center traffic flow characteristics from the left onto the correct traffic flow types on the right.





NEW QUESTION 623An office has requested to set up a backup link to the internet. Which routing protocol helps to achieve multihorming with two different ISPs? A. BGPB. IS-ISC. eBGPD. EIGRP Answer: C NEW QUESTION 624A network engineer is evaluating an architecture that utilizes VSS for the data center module. Which two advantages of using VSS technology are true? (Choose two.) A. It removes the need for Hot Standby Router Profocol.B. It removes the need to configure redundant switches with identical policies.C. Each switch has a separate control plane.D. It is capable of supporting live migration of virtual machines as they move from one physical server to another.E. It adds arbitrary forwarding topologies on top of a fixed routed underlay topology. Answer: AE NEW QUESTION 625An engineer is designing an OSPF network with multiple nonbackbone areas connected to the backbone area via a hub-and-spoke topology. Each hub-and-spoke area has a large number of spoke routers connected to the hub that is functioning as an ABR to provide better segmentation. Which two actions improve the stability of this design? (Choose two.) A. Configure hub-and-spoke areas as stub.B. Use External Type 2 metric: across the OSPF domain.C. Configure hub-and-spake areas as totally stubby.D. Implement summarization on the ABR routers of hub-and-spoke areas.E. Implement summarization on the ASBR routers in the backbone area. Answer: CD NEW QUESTION 626

...... Download the newest PassLeader 300-320 dumps from passleader.com now! 100% Pass Guarantee! 300-320 PDF dumps & 300-320 VCE dumps: https://www.passleader.com/300-320.html (628 Q&As) (New Questions Are 100% Available and Wrong Answers Have Been Corrected! Free VCE simulator!) P.S. New 300-320 dumps PDF: https://drive.google.com/open?id=0B-ob6L_QjGLpUjVQcjU5aFFtWVU