

## [New Exam Dumps PassLeader Premium 120q 1Z0-808 Exam Questions For Free Download

Where To Get The 100% Valid 1Z0-808 Exam Dumps? PassLeader now is offering the newest and valid 120q 1Z0-808 exam questions for preparing 1Z0-808 exam, we ensure our new version 120q 1Z0-808 pdf dumps and vce dumps are 100% valid for passing exam, because PassLeader is the best and professional IT Certification study training materials supplier, many people have passed exam by learning PassLeader's vce or pdf dumps, now visit [passleader.com](http://passleader.com) to get the newest 120q 1Z0-808 practice tests with free VCE Player! keywords: 1Z0-808 exam,120q 1Z0-808 exam dumps,120q 1Z0-808 exam questions,1Z0-808 vce dumps,1Z0-808 pdf dumps,1Z0-808 practice tests,1Z0-808 study guide,Java SE 8 Programmer I Exam

Why Not Try **PassLeader** New Premium

**Pass4sure** **PL PassLeader**

77 Q&As  
Price: \$125.99

**BONUS !!!**  
Free VCE Player

Coupon Code

QUESTION 1 Given:

```
interface Readable {
    public void readBook();
    public void setBookMark();
}

abstract class Book implements Readable { // line n1
    public void readBook() { }
    // line n2
}

class Ebook extends Book { // line n3
    public void readBook() { }
    // line n4
}
```

[www.passleader.com](http://www.passleader.com)

Which option enables the code to compile?

- A) Replace the code fragment at line n1 with:  
class Book implements Readable {
- B) At line n2 insert:  
public abstract void setBookMark();
- C) Replace the code fragment at line n3 with:  
abstract class Ebook extends Book {
- D) At line n4 insert:  
public void setBookMark() { }

A. #160;#160;#160; Option A B. #160;#160;#160; Option B C. #160;#160;#160; Option C  
D. #160;#160;#160; Option D Answer: C

QUESTION 2 Given the code fragment:

```
public static void main(String[] args) {
    List<String> names = new ArrayList<>();
    names.add("Robb");
    names.add("Bran");
    names.add("Rick");
    names.add("Bran");

    if (names.remove("Bran")) {
        names.remove("Jon");
    }
    System.out.println(names);
}
```

[www.passleader.com](http://www.passleader.com)

What is the result? A. #160;#160;#160; [Robb, Rick, Bran] B. #160;#160;#160; [Robb, Rick]  
C. #160;#160;#160; [Robb, Bran, Rick, Bran] D. #160;#160;#160; An exception is thrown at runtime. Answer: D

QUESTION 3 Given:

```
class A {
    public A(){
        System.out.print("A ");
    }
}

class B extends A{
    public B(){ //line n1
        System.out.print("B ");
    }
}

class C extends B{
    public C(){ //line n2
        System.out.print("C ");
    }
    public static void main(String[] args) {
        C c = new C();
    }
}
```

What is the result? A.&#160;&#160;&#160; C B A B.&#160;&#160;&#160; C C.&#160;&#160;&#160; A B C  
D.&#160;&#160;&#160; Compilation fails at line n1 and line n2 Answer: C

QUESTION 4 Given: 

```
class X {
    static int i;
    int j;
    public static void main(
        X x1 = new X();
        X x2 = new X();
        x1.i = 3;
        x1.j = 4;
        x2.i = 5;
        x2.j = 6;
        System.out.println(
            x1.i + " " +
            x1.j + " " +
            x2.i + " " +
            x2.j);
    }
}
```

What is the result? A.&#160;&#160;&#160; 3 4 5 6 B.&#160;&#160;&#160; 3 4 3 6 C.&#160;&#160;&#160; 5 4 5 6  
D.&#160;&#160;&#160; 3 6 4 6 Answer: A

QUESTION 5 Given the code fragment: 

```
1. public class Test {
2.     public static void main(String[]
3.         /* insert code here */
4.         array[0]=10;
5.         array[1]=20;
6.         System.out.print(array[0]+"
7.     }
8. }
```

Which code fragment, when inserted at line 3, enables the code to print 10:20? A.&#160;&#160;&#160; int[] array n= new  
int[2]; B.&#160;&#160;&#160; int[] array; array = int[2]; C.&#160;&#160;&#160; int array = new int[2];  
D.&#160;&#160;&#160; int array [2]; Answer: B

QUESTION 6 Given the code fragment: 

```
public static void main(String[]
String[] arr = {"A", "B", "C"}
for (int i = 0; i < arr.length;
System.out.print(arr[i] +
if (arr[i].equals("C")) {
    continue;
}
System.out.println("Work
break;
}
```

What is the result? A. A B C Work done B. A B C D Work done  
C. A Work done D. Compilation fails Answer: C QUESTION 7 Which three are advantages of the Java exception mechanism? A. Improves the program structure because the error handling code is separated from the normal program function B. Provides a set of standard exceptions that covers all the possible errors C. Improves the program structure because the programmer can choose where to handle exceptions D. Improves the program structure because exceptions must be handled in the method in which they occurred E. Allows the creation of new exceptions that are tailored to the particular program being created Answer: ACD Explanation: <http://javajee.com/introduction-to-exceptions-in-java> QUESTION 8 Given the code from the Greeting.Java file:

```
public class Greeting {  
    public static void main(String[] args) {  
        System.out.println("Hello " + args[0]);  
    }  
}
```

[www.passleader.com](http://www.passleader.com)

- Which set of commands prints Hello Duke in the console?
- A) javac Greeting  
java Greeting Duke
  - B) javac Greeting.java Duke  
java Greeting
  - C) javac Greeting.java  
java Greeting Duke
  - D) javac Greeting.java  
java Greeting.class Duke

A. Option A B. Option B C. Option C  
D. Option D Answer: A

**Why Not Try PassLeader New Premium 1Z0-808 Exam Dumps?**

 77 Q&As Price: \$125.99	 Leader of IT Certifications <b>BONUS !!!</b> Free VCE Player 120 Q&As Price: \$99.99 Coupon Code -- CELEB	 77 Q&As Price: \$124.99
---	--	---

<http://www.passleader.com/1z0-808.html>