## (New Updated) Do Not Missed The New Publised Microsoft 70-336 Study Materails With New Added Questions (1-15)

P.s.: These 70-336 Exam Questions Were Updated After 2014/11/1 With The Change Of New Microsoft Exam. 100 Percent Vaild And 100 Percent Pass Ensure. Visit Our PassLeader Website And Get All Valid Exam Questions With PDF And VCE. 100 Percent Guaranteed Pass or 100 Percent Money Back Guarantee! Vendor: Microsoft Exam Code: 70-336 Exam Name: Microsoft Core Solutions of Microsoft Lync Server 2013 Compare And Choose The Best PassLeader 70-336 Brain Dumps

compare And choo	se me best russledder 70-55	o brain bainps
Pass4surê		🙋 TEST KING
Banned By Microsoft	110 Q&As	50 Q&As
Not Available	Price: \$99.99 Coupon Code CELEB	Price: \$124.99

QUESTION 1 You have a Lync Server 2013 infrastructure that contains an Enterprise Edition front end pool. You plan to add the following server roles to the existing infrastructure: - Edge Server - Archiving Server - Monitoring Server - Persistent Chat Server You need to identify the minimum number of Microsoft SQL Server Back End Server. What is the minimum number of SQL Server servers that you should identify? A. 1 B. 2 C. 3 D. &#1

components shown in the following table.

Component name	Description	IP address
	Enterprise Edition Front End Server	10.0.0.1
Server2	Enterphise Editor Front End Server	10.5.8
HLB VIP	Virtual IP address of a hardware load balancer	10.0.0.10

The fully qualified domain name (FQDN) of the Enterprise Edition pool will be Iyncpool01.contoso.com. Lync web services will be accessed at a URL of https://lyncweb01.contoso.com. You plan to use DNS load balancing for the Enterprise Edition pool. You need to identify which host (A) records must be created on the internal DNS servers to support the planned Lync Server 2013 deployment. Which A record entries should you identify? To answer, select the appropriate records in the answer area.



## Answer:

This page was exported from - <u>New Real Practice Test With VCE And PDF For Free Download</u> Export date: Fri Jan 24 6:34:56 2025 / +0000 GMT

DNS Manager			_ 🗆 ×	🛓 DNS Manager			_ [
Elle Action Vie	w Help			Elle Action ye	w Help		
		2		(n 🔿 🖄 🗂			100
Name +	Туре	Data	Timestamp	Name +	Туре	Data	Timestamp
Lyncweb01	Host (A)	10.0.0.1		Lyncpool01	Host (A)	10.0.0.10	
Lyncweb01	Host (A)	10.0.0.2		Lyncweb01	Host (A)	10.0.0.10	
Server1	Host (A)	10.0.0.1		Server1	Host (A)	10.0.0.1	
tris-nanager	Host (A)	10.0.2		Server2	Host (A)	10.0.0.2	
crist nanapiti Elle Action Vie	W Help	op	6 <b>44</b>		Est		
terits canterit Ble Action Vie	W Help	op		DNS vielbiger Ele Action Vie	Est	<b>5</b> @(	
to crister annuncti Elle Action Vie	Help		100	Ele Action Vie	Help	5 <del>0</del> (	3 🗆 😒
terfor fanlager Ele Action ye en Se 20 Ter	w Help	O P	100	DNS manhaiger Ele Action Vie Name ~	Eleko III A Eleko	o O (	3 🗆 😒
Langer Ele Action ye Name ^ Lyncpcol01	W Help Type Host (A)	Data 10.0.0.1	100	A DAS realidader Ele Action ye Mame A Lyncpool01	W Help	Data 10.0.0.10	3 🗆 😒
Elle Action Vie Name  Lyncpool01 Lyncpool01	W Help Type Host (A) Host (A)	Data 10.0.0.1 10.0.2	100	Ele Action ye Name A Byrrspool01 Lynoweb01	W Help Type Host (A) Host (A)	Data 10.0.0.10	3 🗆 😒

QUESTION 4 You plan to deploy Lync Server 2013. Your company uses only certificates that are purchased from a third-party certification authority (CA). The company uses the following domain names to generate email addresses for users: - Adatum.com - Contoso.com - Fabrikam.com - Wingtiptoys.com You plan to configure simple URLs for the planned deployment. You need to recommend which meeting URLs to use. The solution must minimize the cost of purchasing certificates. Which names should you include in the recommendation? A. https://meet.contoso.com https://meet.adatum.com https://meet.contoso.com/adatum.com https://meet.contoso.com/adatum.com https://meet.contoso.com/fabrikam.com bttps://meet.contoso.com/contoso.com/contoso.com/contoso.com/fabrikam.com https://meet.contoso.com/sight60; &#160

Answer:	Components	Answer Area	
	the Access Edge service the AVE Bage service a reverse proxy	Peer-to-pear calls hat ween themselves and loss of or the internationations	the Access Edge service
	the Web Conferencing Edge service	Chat sessions from mobile devices	a reverse proxy
	an XMPP Gateway		

QUESTION 6 Drag and Drop Question You deploy a Lync Server 2013 infrastructure that contains an Edge Server named

Serverl. Serverl is configured as shown in the following table.	FQDN	Component	IP address
	Sip.contosp.com	Access Edge se vice	11.107.1.1
	We contese con	Web Conferencing Eage service	132.107.1.2
	Av.contoso.com	A/V Edge service	131.107.1.3

the A/V Edge se

an XMPP Gateway

the Web Conferencing Edge service

You plan to configure federation with your company's external partners. You need to identify which ports must be allowed on the firewall to provide the instant messaging (IM), presence, and web conferencing features. Which ports should you identify? To answer, drag the appropriate ports to the correct location in the answer area. Each port may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

This page was exported from - <u>New Real Practice Test With VCE And PDF For Free Download</u> Export date: Fri Jan 24 6:34:56 2025 / +0000 GMT

Ports	Answer	Area				
80	Destinatio	Destination		open		
443	Sip.contos	so.com	Port	Port		
444	Wc.contos	<del>∕∐G(⊡</del> € so.com	Port	960		
3478						
5060						
5061						
Answer:	Ports	Ans	wer Area			
	80	Destin	ation	Ports to	open	
	443	Sip.co	ntoso.com	443	5061	
	444	Worpt We.co	ntoso.com	443		
	3478					_
	5060					
	5061					

QUESTION 7 You plan to deploy a Lync Server 2013 infrastructure. You plan to use a Microsoft SQL Server database mirror that has a witness. A database administrator gives you a list of five servers that you can use for the deployment. The servers are configured as shown in the following table. **Server name SQL Server version** 

Server name	SQL Server version
SQL1	SQL Server 2008 Enterprise
SQL2	SQL Server 2008 R2 Standard
SQL3UUU00	SQL Server 2008 R2 Standard
SQL4	SQL Server 2008 Enterprise
SQL5	SQL Server 2008 R2 Enterprise

You need to identify which servers you must use for the SQL Server backend. Which servers should you identify? A. SQL2 and SQL3 for the mirror. SQL5 for the witness. B. SQL1 and SQL4 for the mirror. SQL5 for the witness. C. SQL2 and SQL3 for the mirror. SQL4 for the witness.

D. SQL1 and SQL4 for the mirror. SQL2 for the witness. Answer: A



http://www.passleader.com/70-336.html] QUESTION 8 You are planning a Lync Server 2013 deployment. You need to recommend which Lync Server 2013 components are required to meet the following requirements: - Presence, chat, and multiparty video conferencing features must be provided. - Quality of Experience (QoE) data and call detail recording (CDR) must be provided. - Lync Server services must be provided to internal users only. - Licensing costs must be minimized. Which two components should you recommend? (Each correct answer presents part of the solution. Choose two.) A. A Director pool B. A Standard Edition server C. An Enterprise Edition pool D. An Edge pool E. A Microsoft SQL Server database Answer: BE QUESTION 9 Drag and Drop Question Your company has several offices. The offices are located in one office building. The building is located in Seattle. The company has employees from Europe and North America. The company has a phone at a security desk. You

implement Lync Server 2013 Enterprise Voice. You need to implement call routing for emergency calls. The solution must meet the following requirements: - If a user dials 112, the call must be routed to a phone extension of 0911. - If a user dials 0911, the call must be routed to the phone at the security desk. - The phone at the security desk must be used to forward calls to the emergency number in the Seattle offices only. What should you use? To answer, drag the appropriate technology to the correct requirement in the answer area. Each technology may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

Technologies	Answer Area	
a conferencing policy	If a user dials 112, the call must	Technology
a Contact object	be routed to a phone extension of 0911.	Technology
Enterprise voice-enabled an-setsmalless access P	- I'll i obit ibits hatt, mie con intor	
a normalization rule	The phone at the security desk	
a voice policy	must be used to forward calls to	Technology
An unassigned number	the emergency number in the Seattle offices only.	

Answer:	Technologies	Answer Area
	a conferencing policy	If a user dials 112, the call must be routed to a phone extension of a normalization rule
	a Contact object	be routed to a phone extension of a normalization rule
	Enterprise Voice-enabled users an externel user access Pokey	If a cost dats loo , the call nut to the printing atter rule
	a normalization rule	The phone at the security desk
	a voice policy	must be used to forward calls to a voice policy
	An unassigned number	the emergency number in the Seattle offices only.

QUESTION 10 Drag and Drop Question You have a Microsoft Office Communications Server 2007 R2 infrastructure that

contains two servers. The servers are configured as shown in the following table.

Server name	
server DUop	Standard Edition Server
Server2	Edge Server

You plan to deploy Lync Server 2013. You need to implement a pilot deployment of Lync Server 2013 for internal users. You install a new server named Server3. Which four actions should you perform next? To answer, move the four appropriate actions from the list of actions to the answer area and arrange them in the correct order.

m the list of actions to the answer area and arrange them in the correct order.	Actions

Actions	Answer Area
Install Lync Server 2013 on Server2.	
Install Lync Server 2013 on Server3. Create and publish the top-logy.	leader.oc
Prepare the Active Directory infrastructure.	
Merge and publish the topology.	

Answer:	Actions Answer Area	
	Install Lync Server 2013 on Server2.	Prepare the Active Directory infrastructure.
	Install Lync Server 2013 on Server3.	Create and publish the topology.
	Create and publish the toppogy.	Install Lync Server 2013 on Server3.
	Merge and publish the topology.	Merge and publish the topology.

QUESTION 11 Drag and Drop Question configured as shown in the following table.

QUESTION 11 Drag and Drop Question You have a Lync Server 2013 infrastructure that contains two servers. The servers are

Server name	Role
Serveriu.pa	ElaGED@Seco@iii
Server2	Microsoft SQL Server

You deploy two new servers. The servers are configured as shown in the following table.

Server name	Location
SERVER POR	Internationation
Server4	Perimeter network

You need to recommend changes to the infrastructure to meet the following requirements: - Ensure that remote users can connect to the network by using Microsoft Lync 2013. - Ensure that Server3 authenticates the remote users before the users connect to a Front End Server. Which Lync Server 2013 server role should you recommend deploying to each server? To answer, drag the appropriate server role to the correct server in the answer area. Each server role may be used once, more than once, or not at

all. Additionally, you may need to drag the split bar between panes or scroll to view content.

Server Roles	Answer A	rea
Director	Server3	S
Edge Serven Dop	Juleade	6-00
Front End Server	Server4	S
Mediation Server		

Inswer:	Server Roles	Answe	r Area
	Director	Server3	Director
	Edge Serverning	Dealste	Grecom
	Front End Server	Server4	Edge Server
	Mediation Server		

computers. The client computers are configured as shown in the following table.

QUESTION 12 You have a Lync Server 2010 infrastructure. You plan to migrate to Lync Server 2013. You have four client

<b>Client computer type</b>	<b>Operating system</b>	Installed cli
A	Windows 7	Microsoft Office
4. WWW.P	WING SERVICE O	M crasofi Office Communicator 204
С	Windows 7	Microsoft Office Communicator 200
D	Windows XP	Microsoft Lync 201

You need to identify which client computer types can use audio conferencing hosted on Lync Server 2013 without installing any additional software on the client computers. Which client computer types should you identify? A. A B. &

between panes or scroll to view content.

Cmdlets	Answer Area	
Set-CsConferencingPolicy	Ensure that a legal disclaimer is	Cmdlet
Set-CsMeetingConfiguration	added to all meeting invitations.	chuet
Set CsConferencing configuration	Ensufe that univ Microsoft Line 90 B clents pan be used to kin	36.000
Set-CSClientVersionPolicy		
	Ensure that meeting organizers manually admit remote meeting attendees who are users in your company.	Cmdlet

Answer:

This page was exported from - <u>New Real Practice Test With VCE And PDF For Free Download</u> Export date: Fri Jan 24 6:34:57 2025 / +0000 GMT

	and the second s	
Cmdlets	Answer Area	
Set-CsConferencingPolicy	Ensure that a legal disclaimer is	
Set-CsMeetingConfiguration	added to all meeting invitations.	Set-CsMeetingConfiguration
Set CsCkaferenciagtorificuration Set CsCktercal&ccsStrikc	Point Contenents	Set Estrentvers (new) v
Set-CSClientVersionPolicy		
	Ensure that meeting organizers manually admit remote meeting attendees who are users in your company.	Set-CsMeetingConfiguration

QUESTION 14 You have a Lync Server 2013 infrastructure. Your company has a sales department and a research department. You deploy persistent chat. You need to configure persistent chat to meet the following requirements: - Users in the sales department must be prevented from viewing the names of the rooms used by the research department. - Users in the research department must be able to discover all of the rooms used by their department. What should you do? A. Create a user-level Persistent Chat Policy named Sales. Apply the Sales policy to the sales and research users. Create persistent chat rooms for each department and set the privacy to Secret. B. Create a category named ResearchRooms. Add the research users as Allowed members to the ResearchRooms category. Add the sales users as Denied members to the ResearchRooms category. Create persistent chat rooms for each department and set the privacy to Closed.

C. Create a category named ResearchRooms. Add the research users as Allowed members to the ResearchRooms category. Add the sales users as Denied members to the ResearchRooms category. Create persistent chat rooms for each department and set the privacy to Secret. D. Create a user-level Persistent Chat Policy named Sales. Apply the Sales policy to the sales and research users. Create persistent chat rooms for each department and set the privacy to Open. Answer: C QUESTION 15 Drag and Drop Question Your network contains the servers that are configured as

shown in the following table.

Server name	Pool name	Role
Server1.contoso.com	Server1.contoso.com	Microsoft Office Communications Server 2007 R2 Standard Edition
Server2.contoso.com	Lyncpool.contoso.com	Lync Server 2013 Front End Server
Server3.contoso.com	Server3.contoso.com	Lync Server 2013 Edge Server

You move all users to Lync Server 2013. You need to decommission Office Communications Server 2007 R2. Which four actions should you perform? To answer, move the four appropriate actions from the list of actions in the answer area and arrange them in the



Actions	Answer Area
On Server2, move the conference directories.	
On Server1, move the conference directories.	
On Server1, uninstall the Office Communications Server 2007 182 components.	leader.com
On Server1, remove the BackCompatSite.	
On Server1, deactivate all of the Office Communications Server 2007 R2 components.	
On Server2, remove the BackCompatSite.	

Answer:	Actions	Answer Area
	On Server2, move the conference directories.	On Server2, move the conference directories.
	On Server1, move the conference directories. On Server1, uninstall the Office Communications Server1 2007 82 kompionents. On Server1, remove the BackCompatSite.	On Server1, deactivate all of the Office Communications Server 2007 R2 components. On Server1, uninstall the Office Communications Server 2007 R2 components.
	On Server1, deactivate all of the Office Communications Server 2007 R2 components.	On Server2, remove the BackCompatSite.

Thank You for Choosing PassLeader's Products, We PassLeader Guarantee: 1) More than 99,900 Satisfied Customers Worldwide. 2) Average 99.9% Success Rate. 3) Free Update to match latest and real exam scenarios. 4) Instant Download Access! No Setup required. 5) Questions & Answers are downloadable in PDF format and VCE test engine format. 6) Multi-Platform capabilities - Windows, Laptop, Mac, Android, iPhone, iPod, iPad. 7) 100% Guaranteed Success or 100% Money Back Guarantee. 8) Fast, helpful support 24x7. Compare And Choose The Best Passl ender 70-336 Brain Dumps

Compare And Choo	se The Best PassLeader 70-33	Brain Dumps
Pass4surê	PLPassLeader Leader of IT Certifications	🙋 TEST KING
Banned By Microsoft	110 Q&As	50 Q&As
Not Available	Price: \$99.99	Price: \$124.99
	Coupon Code CELEB	

http://www.passleader.com/70-336.html]