

## (New Updated) PassLeader Released New Version Microsoft 70-458 Exam PDF And VCE Dumps (1-15)

**P.s.: These 70-458 Exam Questions Were Updated After 2014/11/1 With The Change Of New Microsoft Exam. 100 Percent Valid And 100 Percent Pass Ensure. Visit Our PassLeader Website And Get All Valid Exam Questions With PDF And VCE. 100 Percent Guaranteed Pass or 100 Percent Money Back Guarantee!** Vendor: Microsoft Exam Code: 70-458 Exam Name: Transition Your MCTS on SQL Server 2008 to MCSA: SQL Server 2012, Part 2 Exam

Compare And Choose The Best **PassLeader 70-458**

|   |   |
|---|---|
| <br>↓<br><b>Banned By Microsoft</b><br>Not Available | <br>↓<br>Leader of IT Certifications<br><b>161 Q&amp;As</b><br><b>Price: \$99.99</b><br>Coupon Code -- CELEB |
|---|---|


QUESTION 1 Hotspot Question You administer a Microsoft SQL Server 2012 database. The database contains a table that has the following definition:

```
CREATE TABLE [Sales].[Customer] (  
    [CustomerID] int NOT NULL,  
    [CustomerName] nvarchar(50) NOT NULL,  
    [TerritoryID] int NULL,  
    [LastContactDate] datetimeoffset NULL,  
    [CustomerType] nchar(1) NOT NULL,  
    [Notes] varchar(250) NULL  
)
```


You want to export data from the table to a flat file by using the SQL Server Import and Export Wizard. You need to ensure that the following requirements are met:

- The first row of the file contains the first row of data.
- Each record is of the same length.
- The date follows the U.S. date format.
- The file supports international characters.

What should you do? (To answer, configure the appropriate option or options in the dialog box in the answer area.)



Answer:



**QUESTION 2** Drag and Drop Question You administer a Microsoft SQL Server 2012 database. You use an OrderDetail table that has the following definition:

```
CREATE TABLE [dbo].[OrderDetail]
([SalesOrderID] [int] NOT NULL,
[SalesOrderDetailID] [int] IDENTITY(1,1) NOT NULL,
[CarrierTrackingNumber] [nvarchar](25) NULL,
[OrderQty] [smallint] NOT NULL,
[ProductID] [int] NOT NULL,
[SpecialOfferID] [int] NULL,
[UnitPrice] [money] NOT NULL);
```

You need to create a non-clustered index on the SalesOrderID column in the OrderDetail table to include only rows that contain a value in the CarrierTrackingNumber column. Which four Transact-SQL statements should you use? (To answer, move the appropriate statements from the list of statements to the answer area and arrange them in the correct order.)

|                                      |
|--------------------------------------|
| WHERE                                |
| FILTER ON                            |
| CarrierTrackingNumber IS NOT NULL;   |
| ON dbo.OrderDetail (SalesOrderID)    |
| ON dbo.OrderDetail (SalesOrderID) AS |
| FILTERED_INDEX                       |
| CREATE NONCLUSTERED INDEX            |
| FIdx_CarrierTrackingNumber           |
| CREATE NONCLUSTERED FILTERED INDEX   |
| FIdx_CarrierTrackingNumber           |

Answer:

|                                      |
|--------------------------------------|
| FILTER ON                            |
| CREATE NONCLUSTERED INDEX            |
| FIdx_CarrierTrackingNumber           |
| ON dbo.OrderDetail (SalesOrderID)    |
| WHERE                                |
| CarrierTrackingNumber IS NOT NULL;   |
| ON dbo.OrderDetail (SalesOrderID) AS |
| FILTERED_INDEX                       |
| CREATE NONCLUSTERED FILTERED INDEX   |
| FIdx_CarrierTrackingNumber           |

**QUESTION 3** You administer a SQL Server 2012 server that contains a database named SalesDb. SalesDb contains a schema named Customers that has a table named Regions. A user named UserA is a member of a role named Sales. UserA is granted the Select permission on the Regions table. The Sales role is granted the Select permission on the Customers schema. You need to ensure that the Sales role, including UserA, is disallowed to select from any of the tables in the Customers schema. Which Transact-SQL statement should you use? A. REVOKE SELECT ON Schema::Customers FROM UserA B. DENY SELECT ON Object::Regions FROM UserA C. EXEC sp\_addrolemember 'Sales', 'UserA' D. DENY SELECT ON Object::Regions FROM Sales E. REVOKE SELECT ON Object::Regions FROM UserA F. DENY SELECT ON Schema::Customers FROM Sales G. DENY SELECT ON Schema::Customers FROM UserA H. EXEC

sp\_droprolerember 'Sales', 'UserA' I.&#160;&#160;&#160; REVOKE SELECT ON Object::Regions FROM Sales  
J.&#160;&#160;&#160; REVOKE SELECT ON Schema::Customers FROM Sales Answer: F QUESTION 4 You administer a SQL Server 2012 server that contains a database named SalesDb. SalesDb contains a schema named Customers that has a table named Regions. A user named UserA is a member of a role named Sales. UserA is granted the Select permission on the Regions table. The Sales role is granted the Select permission on the Customers schema. You need to ensure that UserA is disallowed to select from the Regions table. Which Transact-SQL statement should you use? A.&#160;&#160;&#160; DENY SELECT ON Object::Regions FROM Sales B.&#160;&#160;&#160; DENY SELECT ON Schema::Customers FROM Sales  
C.&#160;&#160;&#160; REVOKE SELECT ON Object::Regions FROM Sales D.&#160;&#160;&#160; REVOKE SELECT ON Schema::Customers FROM Sales E.&#160;&#160;&#160; DENY SELECT ON Object::Regions FROM UserA  
F.&#160;&#160;&#160; DENY SELECT ON Schema::Customers FROM UserA G.&#160;&#160;&#160; REVOKE SELECT ON Object::Regions FROM UserA H.&#160;&#160;&#160; REVOKE SELECT ON Schema::Customers FROM UserA  
I.&#160;&#160;&#160; EXEC sp\_addrolemember 'Sales', 'UserA' J.&#160;&#160;&#160; EXEC sp\_droprolemember 'Sales', 'UserA' Answer: E QUESTION 5 You administer a SQL 2012 server that contains a database named SalesDb. SalesDb contains a schema named Customers that has a table named Regions. A user named UserA is a member of a role named Sales. UserA is granted the Select permission on the Regions table. The Sales role is granted the Select permission on the Customers schema. You need to remove the Select permission for UserA on the Regions table. You also need to ensure that UserA can still access all the tables in the Customers schema, including the Regions table, through the Sales role permissions. Which Transact-SQL statement should you use? A.&#160;&#160;&#160; DENY SELECT ON Object::Regions FROM UserA B.&#160;&#160;&#160; DENY SELECT ON Schema::Customers FROM UserA C.&#160;&#160;&#160; EXEC sp\_addrolemember 'Sales', 'UserA'  
D.&#160;&#160;&#160; REVOKE SELECT ON Object::Regions FROM UserA E.&#160;&#160;&#160; REVOKE SELECT ON Object::Regions FROM Sales F.&#160;&#160;&#160; EXEC sp\_droproiemember 'Sales', 'UserA' G.&#160;&#160;&#160; REVOKE SELECT ON Schema::Customers FROM UserA H.&#160;&#160;&#160; DENY SELECT ON Object::Regions FROM Sales I.&#160;&#160;&#160; DENY SELECT ON Schema::Customers FROM Sales J.&#160;&#160;&#160; REVOKE SELECT ON Schema::Customers FROM Sales Answer: D QUESTION 6 You administer a SQL Server 2012 server that contains a database named SalesDb. SalesDb contains a schema named Customers that has a table named Regions. A user named UserA is a member of a role named Sales. UserA is granted the Select permission on the Regions table. The Sales role is granted the Select permission on the Customers schema. You need to ensure that the following requirements are met: - The Sales role does not have the Select permission on the Customers schema. - UserA has the Select permission on the Regions table. Which Transact-SQL statement should you use? A.&#160;&#160;&#160; DENY SELECT CN Object::Regions FROM Sales B.&#160;&#160;&#160; DENY SELECT CN Schema::Customers FROM Sales C.&#160;&#160;&#160; REVOKE SELECT ON Object::Regions FROM Sales D.&#160;&#160;&#160; REVOKE SELECT ON Schema::Customers FROM Sales  
E.&#160;&#160;&#160; DENY SELECT CN Object::Regions FRCM UserA F.&#160;&#160;&#160; DENY SELECT CN Schema::Customers FRCM UserA G.&#160;&#160;&#160; REVOKE SELECT ON Object::Regions FROM UserA H.&#160;&#160;&#160; REVOKE SELECT ON Schema::Customers FOR UserA I.&#160;&#160;&#160; EXEC sp\_addrolemember 'Sales', 'UserA' J.&#160;&#160;&#160; EXEC sp\_droprolemember 'Sales'. 'UserA' Answer: D QUESTION 7 You administer a Microsoft SQL Server 2012 instance that contains a financial database hosted on a storage area network (SAN). The financial database has the following characteristics: - A data file of 2 terabytes is located on a dedicated LUN (drive D). - A transaction log of 10 GB is located on a dedicated LUN (drive E). - Drive D has 1 terabyte of free disk space. - Drive E has 5 GB of free disk space. The database is continually modified by users during business hours from Monday through Friday between 09:00 hours and 17:00 hours. Five percent of the existing data is modified each day. The Finance department loads large CSV files into a number of tables each business day at 11:15 hours and 15:15 hours by using the BCP or BULK INSERT commands. Each data load adds 3 GB of data to the database. These data load operations must occur in the minimum amount of time. A full database backup is performed every Sunday at 10:00 hours. Backup operations will be performed every two hours (11:00, 13:00, 15:00, and 17:00) during business hours. You need to ensure that your backup will continue if any invalid checksum is encountered. Which backup option should you use? A.&#160;&#160;&#160; STANDBY B.&#160;&#160;&#160; Differential C.&#160;&#160;&#160; FULL D.&#160;&#160;&#160; CHECKSUM E.&#160;&#160;&#160; BULK\_LOGGED F.&#160;&#160;&#160; CONTINUE\_AFTER\_ERROR G.&#160;&#160;&#160; SIMPLE H.&#160;&#160;&#160; DBO\_ONLY I.&#160;&#160;&#160; COPY\_ONLY J.&#160;&#160;&#160; SKIP K.&#160;&#160;&#160; RESTART L.&#160;&#160;&#160; Transaction log M.&#160;&#160;&#160; NO\_CHECKSUM N.&#160;&#160;&#160; NORECOVERY Answer: F

Compare And Choose The Best **PassLeader 70-458 Brain Dumps**

|  |   |  |
|--|---|--|
|  <p><b>Banned By Microsoft</b><br/>Not Available</p> |  <p><b>161 Q&amp;As</b><br/>Price: <b>\$99.99</b><br/>Coupon Code -- CELEB</p> |  <p><b>50 Q&amp;As</b><br/>Price: <b>\$124.99</b></p> |
|--|---|--|

<http://www.passleader.com/70-458.html>] QUESTION 8 You administer a Microsoft SQL Server 2012 instance that contains a financial database hosted on a storage area network (SAN). The financial database has the following characteristics: - A data file of 2 terabytes is located on a dedicated LUN (drive D). - A transaction log of 10 GB is located on a dedicated LUN (drive E). - Drive D has 1 terabyte of free disk space. - Drive E has 5 GB of free disk space. The database is continually modified by users during business hours from Monday through Friday between 09:00 hours and 17:00 hours. Five percent of the existing data is modified each day. The Finance department loads large CSV files into a number of tables each business day at 11:15 hours and 15:15 hours by using the BCP or BULK INSERT commands. Each data load adds 3 GB of data to the database. These data load operations must occur in the minimum amount of time. A full database backup is performed every Sunday at 10:00 hours. Backup operations will be performed every two hours (11:00, 13:00, 15:00, and 17:00) during business hours. On Wednesday at 10:00 hours, the development team requests you to refresh the database on a development server by using the most recent version. You need to perform a full database backup that will be restored on the development server. Which backup option should you use?

- A. NORECOVERY
- B. FULL
- C. NO\_CHECKSUM
- D. CHECKSUM
- E. Differential
- F. BULK\_LOGGED
- G. STANDBY
- H. RESTART
- I. SKIP
- J. Transaction log
- K. DBO ONLY
- L. COPY\_ONLY
- M. SIMPLE
- N. CONTINUE\_AFTER\_ERROR


Answer: L QUESTION 9 You administer a Microsoft SQL Server 2012 instance that contains a financial database hosted on a storage area network (SAN). The financial database has the following characteristics: - A data file of 2 terabytes is located on a dedicated LUN (drive D). - A transaction log of 10 GB is located on a dedicated LUN (drive E). - Drive D has 1 terabyte of free disk space. - Drive E has 5 GB of free disk space. The database is continually modified by users during business hours from Monday through Friday between 09:00 hours and 17:00 hours. Five percent of the existing data is modified each day. The Finance department loads large CSV files into a number of tables each business day at 11:15 hours and 15:15 hours by using the BCP or BULK INSERT commands. Each data load adds 3 GB of data to the database. These data load operations must occur in the minimum amount of time. A full database backup is performed every Sunday at 10:00 hours. Backup operations will be performed every two hours (11:00, 13:00, 15:00, and 17:00) during business hours. You implement log shipping of the financial database to another SQL Server 2012 instance. You decide to failover to this secondary database. You need to ensure that all transactions will be replicated to the secondary database. Which backup option should you use?

- A. Differential
- B. Transaction
- C. FULL
- D. SIMPLE
- E. BULK\_LOGGED
- F. SKIP
- G. RESTART
- H. STANDBY
- I. CHECKSUM
- J. DBO\_ONLY
- K. yCOPY ONLY
- L. NORECOVERY
- M. NO\_CHECKSUM

Answer: L QUESTION 10 You administer a Microsoft SQL Server 2012 instance that contains a financial database hosted on a storage area network (SAN). The financial database has the following characteristics: - A data file of 2 terabytes is located on a dedicated LUN (drive D). - A transaction log of 10 GB is located on a dedicated LUN (drive E). - Drive D has 1 terabyte of free disk space. - Drive E has 5 GB of free disk space. The database is continually modified by users during business hours from Monday through Friday between 09:00 hours and 17:00 hours. Five percent of the existing data is modified each day. The Finance department loads large CSV files into a number of tables each business day at 11:15 hours and 15:15 hours by using the BCP or BULK INSERT commands. Each data load adds 3 GB of data to the database. These data load operations must occur in the minimum amount of time. A full database backup is performed every Sunday at 10:00 hours. Backup operations will be performed every two hours (11:00, 13:00, 15:00, and 17:00) during business hours. You need to ensure that the backup size is as small as possible. Which backup should you perform every two hours?

- A. BULK\_LOGGED
- B. NO\_CHECKSUM
- C. FULL
- D. SIMPLE

RESTART E.&#160;&#160;&#160; CHECKSUM F.&#160;&#160;&#160; STANDBY G.&#160;&#160;&#160;  
 DBO.ONLY H.&#160;&#160;&#160; NORECOVERY I.&#160;&#160;&#160; SIMPLE J.&#160;&#160;&#160; SKIP  
 K.&#160;&#160;&#160; Transaction tog L.&#160;&#160;&#160; COPY\_ONLY M.&#160;&#160;&#160; Differential  
 N.&#160;&#160;&#160; CONTINUE\_AFTER\_ERROR Answer: K QUESTION 11 Drag and Drop Question You are  
 developing a SQL Server Integration Services (SSIS) package that imports data into a data warehouse. You are developing the part  
 of the SSIS package that populates the ProjectDates dimension table. The business key of the ProjectDates table is the ProjectName  
 column. The business user has given you the dimensional attribute behavior for each of the four columns in the ProjectDates table:  
 - ExpectedStartDate - New values should be tracked over time. - ActualStartDate - New values should not be accepted. -  
 ExpectedEndDate - New values should replace existing values. - ActualEndDate - New values should be tracked over time.  
 You use the SSIS Slowly Changing Dimension Transformation. You must configure the Change Type value for each source column.  
 Which settings should you select? (To answer, select the appropriate setting or settings in the answer area.)



Answer:

| Dimension Columns | Change Type          |
|-------------------|----------------------|
| ExpectedStartDate | Historical Attribute |
| ActualStartDate   | Fixed Attribute      |
| ExpectedEndDate   | Changing Attribute   |
| ActualEndDate     | Historical Attribute |

QUESTION 12 You are developing a data flow transformation to merge two data sources. One source contains product data and  
 the other source contains data about the country in which the product was manufactured. Both data sources contain a two-character  
 CountryCode column and both use SQL Server. Both data sources contain an ORDER BY clause to sort the data by the  
 CountryCode column in ascending order. You use a Merge Join transformation to join the data.



You need to ensure that the Merge Join transformation works correctly without additional transformations. What should you do?  
 (Each answer presents a part of the solution. Choose all that apply.) A.&#160;&#160;&#160; set the appropriate SortKeyPosition  
 properties on the data sources. B.&#160;&#160;&#160; set the ValidateExternalMetaData property on the Merge Join  
 transformation to True. C.&#160;&#160;&#160; set the IsSorted property on both data sources. D.&#160;&#160;&#160; Set the  
 MaxBuffersPerInput property on the Merge Join transformation to 2. Answer: AC QUESTION 13 You are creating a SQL Server

Integration Services (SSIS) package to retrieve product data from two different sources. One source is hosted in a SQL Azure  
 database. Each source contains products for different distributors. Products for each distributor source must be combined for  
 insertion into a single product table destination. You need to select the appropriate data flow transformation to meet this  
 requirement. Which transformation types should you use? (Each correct answer presents a complete solution. Choose all that apply.)  
 A.&#160;&#160;&#160; Multicast B.&#160;&#160;&#160; Merge Join C.&#160;&#160;&#160; Term Extraction  
 D.&#160;&#160;&#160; union All E.&#160;&#160;&#160; Merge Answer: DE QUESTION 14 You are designing a SQL  
 Server Integration Services (SSIS) package that uses the Fuzzy Lookup transformation. The reference data to be used in the

transformation does not change. You need to reuse the Fuzzy Lookup match index to increase performance and reduce maintenance. What should you do? A. Select the GenerateAndPersistNewIndex option in the Fuzzy Lookup Transformation Editor. B. Select the GenerateNewIndex option in the Fuzzy Lookup Transformation Editor.

C. Select the DropExistingMatchIndex option in the Fuzzy Lookup Transformation Editor. D. Execute the sp\_FuzzyLookupTableMaintenanceUninstall stored procedure E. Execute the sp\_FuzzyLookupTableMaintenanceInvoke stored procedure. Answer: A QUESTION 15

You are developing a SQL Server Integration Services (SSIS) package. You need to design a package to change a variable value during package execution by using the least amount of development effort. What should you use? A. Expression task B. Script task C. Execute SQL task D. Execute Process task E. Term Extraction transformation Answer: A

Thank You for Choosing PassLeader's Products, We PassLeader Guarantee: 1) More than 99,900 Satisfied Customers Worldwide. 2) Average 99.9% Success Rate. 3) Free Update to match latest and real exam scenarios. 4) Instant Download Access! No Setup required. 5) Questions & Answers are downloadable in PDF format and VCE test engine format. 6) Multi-Platform capabilities - Windows, Laptop, Mac, Android, iPhone, iPod, iPad. 7) 100% Guaranteed Success or 100% Money Back Guarantee. 8) Fast, helpful support 24x7.

**Compare And Choose The Best PassLeader 70-458 Brain Dumps**

|  |   |  |
|--|---|--|
| <br>↓<br><b>Banned By Microsoft</b><br><b>Not Available</b> | <br>↓<br><b>161 Q&amp;As</b><br><b>Price: \$99.99</b><br><small>Coupon Code -- CELEB</small> | <br>↓<br><b>50 Q&amp;As</b><br><b>Price: \$124.99</b> |
|--|---|--|

<http://www.passleader.com/70-458.html>]