

## (New Updated) Recently Updated New Microsoft 70-414 Exam Questions Ensure 100 Percent Pass (1-15)

P.s.: These 70-414 Exam Questions Were Updated After 2014/11/1 With The Change Of New Microsoft Exam. 100 Percent Vaild And 100 Percent Pass Ensure. Visit Our PassLeader Website And Get All Valid Exam Questions With PDF And VCE. 100 Percent Guaranteed Pass or 100 Percent Money Back Guarantee! Vendor: Microsoft Exam Code: 70-414 Exam Name: Implementing an Advanced Server Infrastructure Exam

Compare And Choose The Best **PassLeader 70-414 Brain Dumps**

 ↓ <b>Banned By Microsoft</b> Not Available	 ↓ <b>148 Q&amp;As</b> Price: <b>\$99.99</b> Coupon Code -- CELEB	 ↓ <b>99 Q&amp;As</b> Price: <b>\$124.99</b>
---	---	--

QUESTION 1 Your network contains two clusters. The clusters are configured as shown in the following table.

Cluster name	Operating System
Cluster1	Windows Server 2012
Cluster2	Windows Server 2012

All of the servers in both of the clusters run Windows Server 2012. You need to plan the application of Windows updates to the nodes in the cluster. What should you include in the plan? More than one answer choice may achieve the goal. Select the BEST answer. A.&#160;&#160;&#160; Cluster-Aware Updating (CAU) self-updating and downloaded updates from Windows Server Update Services (WSUS) B.&#160;&#160;&#160; Microsoft System Center 2012 Service Manager integrated with Windows Server Update Service (WSUS) C.&#160;&#160;&#160; A manual application of Windows updates on all of the cluster node D.&#160;&#160;&#160; Microsoft System Center 2012 Configuration Manager integrated with Windows Server Update Service (WSUS) Answer: A

QUESTION 2 Your network contains an Active Directory domain named contoso.com. The network contains a server named Server1 that has the Hyper-V server role installed. Server1 hosts a virtual machine named VM1. You deploy a new standalone server named Server2. You install the Hyper-V server role on Server2. Another administrator named Admin1 plans to create a replica of VM1 on Server2. You need to ensure that Admin1 can configure Server2 to receive a replica of VM1. To which group should you add Admin1? A.&#160;&#160;&#160; Server Operators B.&#160;&#160;&#160; Domain Admins C.&#160;&#160;&#160; Hyper-V Administrators D.&#160;&#160;&#160; Replicator Answer: C

QUESTION 3 Your network contains an Active Directory domain named contoso.com. The domain contains 20 servers that run Windows Server 2012. The domain contains a Microsoft System Center 2012 infrastructure. A web application named WebApp1 is installed on the 20 servers. You plan to deploy a custom registry key for WebApp1 on the 20 servers. You need to deploy the registry key to the 20 servers. The solution must ensure that you can verify whether the registry key was applied successfully to the servers. What should you do? More than one answer choice may achieve the goal. Select the BEST answer. A.&#160;&#160;&#160; From Operations Manager, create a monitor. B.&#160;&#160;&#160; From the Group Policy Management console, create a Group Policy object (GPO). C.&#160;&#160;&#160; From Configuration Manager, create a Compliance Settings. D.&#160;&#160;&#160; From Orchestrator Runbook Designer, create a runbook. Answer: C

QUESTION 4 Your network contains servers that run Windows Server 2012. The network contains two servers named Server1 and Server2 that are connected to a SAS storage device. The device only supports two connected computers. Server1 has the iSCSI Target Server role service installed. Ten application servers use their iSCSI Initiator to connect to virtual disks in the SAS storage device via iSCSI targets on Server1. Currently, Server2 is used only to run backup software. You install the iSCSI Target Server role service on Server2. You need to ensure that the iSCSI targets are available if Server1 fails. Which five actions should you perform? To answer, move the five appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Add the iSCSI Target Server cluster role.	
Create a cluster.	
Install the Failover Clustering feature.	
Install the Network Load Balancing (NLB) feature.	
Reconfigure the iSCSI Initiator settings.	
Install the DFS Replication role service.	
Create iSCSI targets.	

Answer:

Actions	Answer Area
Add the iSCSI Target Server cluster role.	Install the Failover Clustering feature.
Create a cluster.	Create a cluster.
Install the Failover Clustering feature.	Add the iSCSI Target Server cluster role.
Install the Network Load Balancing (NLB) feature.	Create iSCSI targets.
Reconfigure the iSCSI Initiator settings.	Reconfigure the iSCSI Initiator settings.
Install the DFS Replication role service.	
Create iSCSI targets.	

QUESTION 5 Your network contains multiple servers that run Windows Server 2012. You plan to implement three virtual disks. The virtual disks will be configured as shown in the following table.

Virtual disk name	Configuration
VD1	Two-way mirror
VD2	Parity
VD3	Three-way mirror

You need to identify the minimum number of physical disks required for each virtual disk. How many disks should you identify? To answer, drag the appropriate number of disks to the correct virtual disk in the answer area. Each number of disks may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

**Number of**

two disks

three disks

four disks

five disks

Answer:

Number of Disks	Answer Area
	VD1 two disks
four disks	VD2 three disks
	VD3 five disks

QUESTION 6 Your network contains an Active Directory domain named contoso.com. You currently have an intranet web site that is hosted by two Web servers named Web1 and Web2. Web1 and Web2 run Windows Server 2012. Users use the name intranet.contoso.com to request the web site and use DNS round robin. You plan to implement the Network Load Balancing (NLB) feature on Web1 and Web2. You need to recommend changes to the DNS records for the planned implementation. What should you recommend?

A. Create one alias (CNAME) record named Intranet. Map the CNAME record to Intranet.

B. Delete both host (A) records named Intranet. Create a pointer (PTR) record for each Web server.

C. Create a new host (A) record named Intranet. Remove both host (A) records for Web1 and Web2.

D. Delete one of the host (A) records named Intranet. Modify the remaining host (A) record named Intranet.

Answer: C QUESTION 7 Your network contains five servers that run Windows Server 2012. You install the Hyper-V server role on the servers. You create an external virtual network switch on each server. You plan to deploy five virtual machines to each Hyper-V server. Each virtual machine will have a virtual network adapter that is connected to the external virtual network switch and that has a VLAN identifier of 1. Each virtual machine will run Windows Server 2012. All of the virtual machines will run the identical web application. You plan to install the Network Load Balancing (NLB) feature on each virtual machine and join each virtual machine to an NLB cluster. The cluster will be configured to use unicast only. You need to ensure that the NLB feature can

distribute connections across all of the virtual machines. What should you do? A. From the properties of each virtual machine, add a second virtual network adapter. Connect the new virtual network adapters to the external virtual network switch. Configure the new virtual network adapters to use a VLAN identifier of 2. B. On each Hyper-V server, create a new private virtual network switch. From the properties of each virtual machine, add a second virtual network adapter. Connect the new virtual network adapters to the new private virtual network switches. C. On each Hyper-V server, create a new external virtual network switch. From the properties of each virtual machine, add a second virtual network adapter. Connect the new virtual network adapters to the new external virtual network switches.

D. From the properties of each virtual machine, enable MAC address spoofing for the existing virtual network adapter. Answer: D

**QUESTION 8** Your network contains a server named Server1 that runs Windows Server 2012. Server1 is configured as a Hyper-V host. Server1 hosts a virtual machine named VM1. VM1 is configured as a file server that runs Windows Server 2012. VM1 connects to a shared storage device by using the iSCSI Initiator. You need to back up the files and the folders in the shared storage used by VM1. The solution must ensure that open files are included in the backup. What should you do?

A. From Hyper-V Manager, create a snapshot of VM1. B. From Server1, perform a backup by using Windows Server Backup. C. From VM1, perform a backup by using Windows Server Backup. D. From Microsoft System Center 2012 Virtual Machine Manager (VMM), create a copy of VM1.

Answer: C

Compare And Choose The Best PassLeader 70-414 Brain Dumps

Pass4sure	PL PassLeader	TEST KING
Banned By Microsoft Not Available	148 Q&As Price: \$99.99 Coupon Code -- CELEB	99 Q&As Price: \$124.99

<http://www.passleader.com/70-414.html> **QUESTION 9** Your network contains three networks named LAN1, LAN2, and LAN3. You have a Hyper-V host named Hyper1 that has Windows Server 2012 installed. Hyper1 has three network adapters. The network adapters are configured as shown in the following table.

Network adapter name	Network
NIC1	LAN1
NIC2	LAN1
NIC3	LAN2

Hyper1 hosts 10 virtual machines. A virtual machine named VM1 runs a line-of-business application that is used by all of the users of LAN1. All of the other virtual machines are connected to LAN2. You need to implement a solution to ensure that users can access VM1 if either NIC1 or NIC2 fails. What should you do? A. From the properties of each virtual network adapter, enable network adapter teaming, and then modify the bandwidth management settings. B. From the properties of each virtual network adapter, enable network adapter teaming, and then enable virtual LAN identification. C. From the properties of each physical network adapter, enable network adapter teaming, and then add a second legacy network adapter to VM1. D. From the properties of each physical network adapter, enable network adapter teaming, and then create a virtual switch. Answer: D

**QUESTION 10** Your network contains an Active Directory domain named contoso.com. You deploy Microsoft System Center 2012 Virtual Machine Manager (VMM). The network contains five physical servers. The servers are configured as shown in the following table.

Server name	Operating system	Disks	Memory	CPU
Server1	Windows Server 2008	C: 100 GB D: 2 TB	4 GB	X86
Server2	Windows Server 2003 R2 Service Pack 2 (SP2)	C: 40 GB D: 4 TB	2 GB	X86
Server3	Windows Server 2008 R2 Service Pack 1 (SP1)	C: 100 GB D: 2.5 TB	8 GB	X64
Server4	Windows Server 2008 R2	C: 100 GB D: 1 TB	16 GB	X64
Server5	Windows Server 2003 R2 Service Pack 2 (SP2)	C: 100 GB D: 2 TB E: 2 TB	4 GB	X86

You plan to use VMM to convert the existing physical servers to virtual machines. You need to identify which physical servers can be converted to virtual machines. Which servers should you identify? (Each correct answer presents part of the solution. Choose all that apply.) A. Server1 B. Server2 C. Server3 D. Server4 E. Server5

Answer: ADE QUESTION 11 Your network contains an Active Directory Rights Management Services (AD RMS) cluster named Cluster1. You plan to change Cluster1 to a new AD RMS cluster named Cluster2. You need to ensure that all users retrieve the location of the AD RMS templates from Cluster2. What should you do?

A. Create an alias (CNAME) record named cluster1.contoso.com that points to Cluster2. B. Modify the Service Connection Point (SCP). C. Modify the templates file location of the rights policy templates. D. Modify the exclusion policies.


Answer: B QUESTION 12 Your network contains an Active Directory domain named contoso.com. You deploy Active Directory Certificate Services (AD CS). Your company, which is named Contoso, Ltd., has a partner company named Fabrikam, Inc. Fabrikam also deploys AD CS. Contoso and Fabrikam plan to exchange signed and encrypted email messages. You need to ensure that the client computers in both Contoso and Fabrikam trust each other's email certificates. The solution must prevent other certificates from being trusted. What should you do?

More than one answer choice may achieve the goal. Select the BEST answer. A. Implement an online responder in each company. B. Exchange the root certification authority (CA) certificates of both companies, and then deploy the certificates to the Trusted Root Certification Authorities store by using Group Policy objects (GPOs). C. Exchange the root certification authority (CA) certificates of both companies, and then deploy the certificates to the Enterprise Trust store by using Group Policy objects (GPOs). D. Implement cross-certification in each company.

Answer: D QUESTION 13 Your network contains an Active Directory domain named contoso.com. Your company has an enterprise root certification authority (CA) named CA1. You plan to deploy Active Directory Federation Services (AD FS) to a server named Server1. The company purchases a Microsoft Office 365 subscription. You plan to register the company's SMTP domain for Office 365 and to configure single sign-on for all users. You need to identify which certificate or certificates are required for the planned deployment. Which certificate or certificates should you identify? (Each correct answer presents a complete solution. Choose all that apply.)

A. a server authentication certificate that is issued by a trusted third-party root CA and that contains the subject name server1.contoso.com B. a server authentication certificate that is issued by CA1 and that contains the subject name Server1 C. a server authentication certificate that is issued by a trusted third-party root CA and that contains the subject name Server1 D. a server authentication certificate that is issued by CA1 and that contains the subject name server1.contoso.com E. self-signed server authentication certificates for server1.contoso.com

Answer: AE QUESTION 14 Your network contains an Active Directory domain named contoso.com. The network contains two servers named Server1 and Server2. You deploy Active Directory Certificate Services (AD CS). The certification authority (CA) is configured as shown in the exhibit. (Click the Exhibit button.)



You need to ensure that you can issue certificates based on certificate templates. What should you do? A. On Server1, install the Network Device Enrollment Service role service. B. Configure Server1 as a standalone root CA. C. Configure Server2 as an Enterprise CA. D. On Server1, run the Add-CertificateEnrollmentPolicyServer cmdlet. Answer: C

QUESTION 15 Your network contains an Active Directory domain named contoso.com. You plan to deploy an Active Directory Federation Services (AD FS) farm that will contain eight federation servers. You need to identify which technology or technologies must be deployed on the network before you install the federation servers. Which technology or technologies should you identify? (Each correct answer presents part of the solution. Choose all that apply.) A. Network Load Balancing (NLB) B. Microsoft Forefront Identity Manager (FIM) 2010 C. The Windows Internal Database feature D. Microsoft SQL Server 2012 E. The Windows Identity Foundation 3.5 feature Answer: AD

Thank You for Choosing PassLeader's Products, We PassLeader Guarantee: 1) More than 99,900 Satisfied Customers Worldwide. 2) Average 99.9% Success Rate. 3) Free Update to match latest and real exam scenarios. 4) Instant Download Access! No Setup required. 5) Questions & Answers are downloadable in PDF format and VCE test engine format. 6) Multi-Platform capabilities - Windows, Laptop, Mac, Android, iPhone, iPod, iPad. 7) 100% Guaranteed Success or 100% Money Back Guarantee. 8) Fast, helpful support 24x7.

**Compare And Choose The Best PassLeader 70-414 Brain Dumps**

Pass4sure	PL PassLeader	TEST KING
Banned By Microsoft Not Available	Leader of IT Certifications 148 Q&As Price: \$99.99 Coupon Code -- CELEB	99 Q&As Price: \$124.99

<http://www.passleader.com/70-414.html>