

(New Version) Get Passleader Microsoft 70-417 Brain Dumps And Study Guides With Low Cost (1-10)

Attention: These 70-417 Exam Questions Were Updated After 2014/7/1 With The Change Of New Microsoft Exam. 100 Percent Valid And 100 Percent Pass Ensure. Visit Our PassLeader Website And Get All Valid Exam Questions With PDF And VCE.

QUESTION 1 Your network contains an Active Directory domain named contoso.com. The domain contains two domain controllers named DC1 and DC2. You install Windows Server 2012 R2 on a new computer named DC3. You need to manually configure DC3 as a domain controller. Which tool should you use? A. winrm.exe B. Server Manager C. dcpromo.exe D. Active Directory Domains and Trusts

Answer: B **QUESTION 2** Your network contains an Active Directory forest named contoso.com. All domain controllers currently run Windows Server 2008 R2. You plan to install a new domain controller named DC4 that runs Windows Server 2012 R2. The new domain controller will have the following configurations: Schema master Global catalog server DNS Server server role Active Directory Certificate Services server role You need to identify which configurations cannot be fulfilled by using the Active Directory Installation Wizard. Which two configurations should you identify? (Each correct answer presents part of the solution. Choose two.) A. Enable the global catalog server. B. Install the Active Directory Certificate Services role. C. Transfer the schema master. D. Install the DNS Server role.

Answer: BC **QUESTION 3** Your network contains an Active Directory forest. The forest contains two domains named contoso.com and corp.contoso.com. The forest contains four domain controllers. The domain controllers are configured as shown in the following table.

Name	Operating system	Configuration
DC1	Windows Server 2008 R2	Domain naming master Schema master Global catalog
DC2	Windows Server 2012 R2	PDC emulator Global catalog
DC3	Windows Server 2008 R2	Infrastructure master
DC4	Windows Server 2012 R2	RID master Global catalog

All domain controllers are DNS servers. In the corp.contoso.com domain, you plan to deploy a new domain controller named DC5. You need to identify which domain controller must be online to ensure that DC5 can be promoted successfully to a domain controller. Which domain controller should you identify? A. DC3 B. DC4 C. DC2 D. DC1

Answer: A **QUESTION 4** Your network contain an active directory domain named Contoso.com. The domain contains two servers named server1 and server2 that run Windows Server 2012 R2. You create a security template named template1 by using the security template snap-in. You need to apply template1 to server2. Which tool should you use? A. Security Configuration and Analysis B. Server Manager C. Security Template D. Computer management

Answer: A **QUESTION 5** Your network contains a server named Server1 that runs Windows Server 2012 R2. Server1 has the Hyper-V server role installed. Server1 hosts four virtual machines named VM1, VM2, VM3, and VM4. Server1 is configured as shown in the following table.

Hardware component	Configuration
Processor	Eight quad-core CPUs that have non-uniform memory access (NUMA)
Memory	32 GB of RAM
Disk	Two local 4-TB disks
Network	Eight network adapters VMQ-supported PCI-SIG-supported

VM3 is used to test Applications. You need to prevent VM3 from synchronizing its clock to Server1. What should you configure? A. NUMA topology B. Resource control C. Resource metering D. Virtual Machine Chimney E. The VLAN ID F. Processor Compatibility G. The startup order H.


Automatic Start Action I. Integration Services J. Port mirroring
K. Single-root I/O virtualization Answer: I




<http://www.passleader.com/70-417.html>] QUESTION 6 Your network contains a server named Server1 that runs Windows Server 2012 R2. Server1 has the Hyper-V server role installed. Server1 hosts four virtual machines named VM1, VM2, VM3, and VM4. Server1 is configured as shown in the following table.

Hardware component	Configuration
Processor	Eight quad-core CPUs that have non-uniform memory access (NUMA)
Memory	52 GB of RAM
Disk	Two local 4-TB disks
Network	Eight network adapters VMQ-supported PCI-SIG-supported


You plan to schedule a complete backup of Server1 by using Windows Server Backup. You need to ensure that the state of VM1 is saved before the backup starts. What should you configure? A. NUMA topology
B. Resource control C. Resource metering D. Virtual Machine Chimney
E. The VLAN ID F. Processor Compatibility
G. The startup order H. Automatic Start Action I. Integration Services
J. Port mirroring K. Single-root I/O virtualization Answer: I
QUESTION 7 Your network contains an Active Directory domain named contoso.com. The domain contains servers named Server1 and Server2 that run Windows Server 2012 R2. Server1 has the IP Address Management (IPAM) Server feature installed. You install the IPAM client on Server2. You open Server Manager on Server2 as shown in the exhibit. (Click the Exhibit button.)




You need to manage IPAM from Server2. What should you do first? A. On Server2, open Computer Management and connect to Server1. B. On Server1, add the Server2 computer account to the IPAM ASM Administrators group.
C. On Server2, add Server1 to Server Manager. D. On Server1, add the Server2 computer account to the IPAM MSM Administrators group. Answer: C
QUESTION 8 Your network contains an Active Directory domain named contoso.com. The domain contains a domain controller named DC1 and a member server named Server1. Server1 has the IP Address Management (IPAM) Server feature installed. On DC1, you configure Windows Firewall to allow all of the necessary inbound ports for IPAM. On Server1, you open Server Manager as shown in the exhibit. (Click the Exhibit button.)



You need to ensure that you can use IPAM on Server1 to manage DNS on DC1. What should you do? A. Modify the outbound firewall rules on Server1. B. Add Server1 to the Remote Management Users group. C. Add Server1 to the Event Log Readers group. D. Modify the inbound firewall rules on Server1. Answer: C QUESTION 9 Hotspot Question Your network contains an Active Directory domain named contoso.com. The domain contains two servers named Server1 and Server2. Both servers have the IP Address Management (IPAM) Server feature installed. You have a support technician named Tech1. Tech1 is a member of the IPAM Administrators group on Server1 and Server2. You need to ensure that Tech1 can use Server Manager on Server1 to manage IPAM on Server2. To which group on Server2 should you add Tech1? To answer, select the appropriate group in the answer area.



Answer:



QUESTION 10 Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2012 R2. Server1 has the IP Address Management (IPAM) Server feature installed. IPAM is configured currently for Group Policy-based provisioning. You need to change the IPAM provisioning method on Server1. What should you do? A. Run the ipamgc.exe command. B. Run the Set-IPAMConfigurationcmdlet. C. Reinstall the IP Address Management (IPAM) Server feature. D. Delete IPAM Group Policy objects (GPOs) from the domain. Answer: C (New Version) Get Passleader Microsoft 70-417 Brain Dumps And Study Guides With Low Cost Click Here To Get The New Update And 100 Percent Valid & Pass 70-417 Exam Questions -- <http://www.passleader.com/70-417.html>]