

Actions	Answer Area
Run smigdeploy.exe .	Server1 <input type="text" value="Action"/>
Run printbrm.exe -p all:org .	<hr/>
Install the Print and Document Services feature.	Server2 <input type="text" value="Action"/>
Install the Windows Server Migration Tools feature.	<input type="text" value="Action"/>
From the Print Management console, import the printers.	
From the Print Management console, export the printers.	

Answer:

Actions	Answer Area
Run smigdeploy.exe .	Server1 <input type="text" value="From the Print Management console, export the printers."/>
Run printbrm.exe -p all:org .	<hr/>
Install the Windows Server Migration Tools feature.	Server2 <input type="text" value="Install the Print and Document Services feature."/>
	<input type="text" value="From the Print Management console, import the printers."/>

QUESTION 14 Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1. Server1 runs Windows Server 2012 and is configured as the only domain controller. You need to retrieve a list of all the user accounts. The list must include the last time each user was authenticated successfully. Which Windows PowerShell command should you run? (To answer, drag the appropriate cmdlet or property to the correct locations to complete the PowerShell command in the answer area. Each cmdlet or property may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Cmdlets and Properties	Answer Area
<input type="text" value="Get-ADComputer"/> <input type="text" value="Get-ADUser"/> <input type="text" value="Set-ADComputer"/> <input type="text" value="Set-ADUser"/> <input type="text" value="credentials"/> <input type="text" value="lastLogonDate"/> <input type="text" value="logonHours"/>	<input type="text" value=""/> -Properties * -filter * fl name, <input type="text" value=""/>

Answer:

Cmdlets and Properties	Answer Area
<input type="text" value="Get-ADComputer"/> <input type="text" value="Set-ADComputer"/> <input type="text" value="Set-ADUser"/> <input type="text" value="credentials"/> <input type="text" value="logonHours"/>	<input type="text" value="Get-ADUser"/> -Properties * -filter * fl name, <input type="text" value="lastLogonDate"/>

QUESTION 15 Your network contains an Active Directory domain named contoso.com. The domain contains a server named Server1 that runs Windows Server 2012 R2. Server1 contains a single virtual machine named VM1. You need to ensure that a user named User1 can manage the virtual machine settings of VM1. The solution must minimize the number of permissions assigned to

User1. To which group should you add User1? A. Server Operators B. Administrators C. Power Users D. Hyper-V Administrators Answer: D



<http://www.passleader.com/70-410.html>] QUESTION 16 Your network contains an Active Directory domain named contoso.com. The domain contains a server named Windows Server 2012 R2. You create a group Managed Service Account named gservice1. You need to configure a service named Service1 to run as the gservice1 account. How should you configure Service1? A. From the Services console, configure the General settings. B. From Windows PowerShell, run Set-Service and specify the -StartupType parameter. C. From a command prompt, run sc.exe and specify the config parameter. D. From a command prompt, run sc.exe and specify the privs parameter. Answer: C QUESTION 17 Your network contains an Active Directory domain named contoso.com. The domain contains a domain controller named DC1 that runs Windows Server 2012 R2. A user named User1 attempts to log on to DO, but receives the error message shown in the exhibit. (Click the Exhibit button.)



You need to ensure that User1 can log on to DC1. What should you do? A. Modify the Account is sensitive and cannot be delegated setting of the User1 account. B. Grant User1 the Allow log on locally user right. C. Modify the Logon Workstations setting of the User1 account. D. Add User1 to the Remote Management Users group. Answer: B QUESTION 18 Your network contains a single Active Directory domain named contoso.com. The network contains two subnets. The subnets are configured as shown in the following table.

Subnet name
MainOffice
Warehouse

The network contains a member server named Server1 that runs Windows Server 2012 R2. Server1 has the DHCP Server server role installed. Server1 is configured to lease IP addresses to the two subnets. You discover that computers on the Warehouse subnet that have static IP addresses can communicate with the computers on the MainOffice subnet. Computers on the Warehouse subnet that obtain an IP address automatically can only communicate with other computers on the Warehouse subnet. You need to ensure that all of the computers on the Warehouse subnet can communicate with the computers on the MainOffice subnet. Which DHCP option should you configure on Server1? A. 003 Router B. 011 Resource Location Servers C. 020 Nonlocal Source Routing D. 019 IP Layer Forwarding Answer: A

QUESTION 19 Your network contains an Active Directory domain named contoso.com. The network contains 500 client computers that run Windows 8. All of the client computers connect to the Internet by using a web proxy. You deploy a server named Server1 that runs Windows Server 2012 R2. Server1 has the DNS Server server role installed. You configure all of the client computers to use Server1 as their primary DNS server. You need to prevent Server1 from attempting to resolve Internet host names for the client computers. What should you do on Server1? A. Configure the Security settings of the contoso.com zone. B. Remove all root hints. C. Create a primary zone named ".". D. Create a primary zone named "root". E. Create a primary zone named "GlobalNames". F. Create a forwarder that points to 169.254.0.1. G. Create a stub

zone named "root". H. Create a zone delegation for GlobalNames.contoso.com. Answer: BC QUESTION 20 Your company has a remote office that contains 600 client computers on a single subnet. You need to select a subnet mask for the network that will support all of the client computers. The solution must minimize the number of unused addresses. Which subnet mask should you select? A. 255.255.252.0 B. 255.255.254.0 C. 255.255.255.0 D. 255.255.255.128 Answer: A (New Version) Passleader Offer Quality Free Microsoft 70-410 Study Materials With New Exam Questions Click Here To Get The New Update And 100 Percent Valid & Pass 70-410 Exam Questions -- <http://www.passleader.com/70-410.html>