

## (New Version) Passleader Provides Free Microsoft 70-411 PDF and VCE Dumps With New Update Questions (11-20)

Attention: These 70-411 Exam Questions Were Updated After 2014/7/1 With The Change Of New Microsoft Exam. 100 Percent Vaild And 100 Percent Pass Ensure. Visit Our PassLeader Website And Get All Valid Exam Questions With PDF OUESTION 11 Your network contains an Active Directory domain named contoso.com. The domain contains a And VCE.] server named Server1 that runs Windows Server 2012 R2. Server1 has the Network Policy Server server role installed. You need to allow connections that use 802.1x. What should you create? A. A network policy that uses Microsoft Protected EAP (PEAP) authentication B. A network policy that uses EAP-MSCHAP v2 authentication C. A connection request policy that uses EAP-MSCHAP v2 authentication D. connection request policy that uses MS-CHAP v2 authentication Answer: C QUESTION 12 You have a server named Server1 that runs Windows Server 2012 R2. Server1 has the Remote Access server role installed. On Server1, you create a network policy named PPTP\_Policy. You need to configure PPTP\_Policy to apply only to VPN connections that use the PPTP protocol. What should you configure in PPTP\_Policy? A. The Service Type B. The Tunnel Type C. The Framed Protocol D. The NAS Port Type Answer: B QUESTION 13 Your network contains a RADIUS server named Server1. You install a new server named Server2 that runs Windows Server 2012 R2 and has Network Policy Server (NPS) installed. You need to ensure that all accounting requests for Server2 are forwarded to Server1. On Server2, you configure a Connection Request Policy. What else should you configure on Server2? To answer, select the appropriate





node in the answer area.


QUESTION 14 Your network contains two Active Directory forests named contoso.com and adatum.com. The contoso.com forest contains a server named server1.contoso.com. The adatum.com forest contains a server named server2.adatum.com. Both servers have the Network Policy Server role service installed. The network contains a server named Server3. Server3 is located in the perimeter network and has the Network Policy Server role service installed. You plan to configure Server3 as an authentication provider for several VPN servers. You need to ensure that RADIUS requests received by Server3 for a specific VPN server are always forwarded to server1.contoso.com. Which two should you configure on Server3? (Each correct answer presents part of the solution. Choose two.) A. Network policies B. Remote RADIUS server groups


C. Connection authorization policies D. Remediation server groups E. Connection request policies Answer: BE



http://www.passleader.com/70-411.html] QUESTION 15 Hotspot Question You have a server named Server1 that runs Windows Server 2012 R2. You configure Network Access Protection (NAP) on Server1. Your company implements a new security policy stating that all client computers must have the latest updates installed. The company informs all employees that they have two weeks to update their computer accordingly. You need to ensure that if the client computers have automatic updating disabled, they are provided with full access to the network until a specific date and time. Which two nodes should you configure? To answer, select

the appropriate two nodes in the answer area.





QUESTION 16 Your network contains an Active Directory forest. The forest contains two domains named contoso.com and fabrikam.com. All of the DNS servers in both of the domains run Windows Server 2012 R2. The network contains two servers named Server1 and Server2. Server1 hosts an Active Directory-integrated zone for contoso.com. Server2 hosts an Active Directory-integrated zone for fabrikam.com. Server1 and Server2 connect to each other by using a WAN link. Client computers that connect to Server1 for name resolution cannot resolve names in fabrikam.com. You need to configure Server1 to support the resolution of names in fabrikam.com. The solution must ensure that users in contoso.com can resolve names in fabrikam.com if the WAN link fails. What should you do on Server1? A. &#

This page was exported from - <u>New Real Practice Test With VCE And PDF For Free Download</u> Export date: Thu Jan 23 5:47:29 2025 / +0000 GMT

rincipal:	Authent	ticated Users Select a	principal					
ype	All			~				
ermission	ns							
	Full o	ontrol			Del	te subfolder	rs and files	
	Traverse folder / execute file			De	te			
	₩ List fo	older / read data			Re:	d permission	ns	
		attributes				nge permiss		
		extended attributes				e ownership		
	Creat	e files / write data			Re	1		
	Creat	e files / write data = folders / appand data	0			-		000
Π	Creat	e files / write data n folders / annend data attribute:	P	) AAD	Re	-	Jero	0M
U	Creat	e files / write data = folders / appand data	P	) AL		-	Jer.o	
Ū	Creat	e files / write data n folders / annend data attribute:	P	) AL		-		Clear all
	Creat	e files / write data n folders / annend data attribute:	P	) DPL		-	Jer.o	
dd a con	Creat Write	e files / write data n folders / annend data attribute:	P	try. Security events v		90	Jqı.o	
	Creat Wile Wile	e files / write data a faiders / write data (this later) with a standard standard of the main the scope of this au	P	try. Security events v		90	Jqı.o	
	Creat Write	e files / write data a faiders / write data (this later) with a standard standard of the main the scope of this au	P	try. Security events v		90	Jqı.o	
	Creat Wile Wile	e files / write data a faiders / write data (this later) with a standard standard of the main the scope of this au	uditing en	Not equals		d condition	Jqı.o	
Mana User	Creat Wile dition to li ge groupin	e files / write data a faiders / proposed data attributes with the scope of this au	uditing en		will be logged on	d condition	9&60 k	Clear al
Mana User And	Creat Wile Wile dition to lii ge groupin v	e files / write data a failer / means data disk ker / means data e / means data e / means data e / means data mat the scope of this au g	uditing en	Not equals	will be logged on	a variation	DGGG k ns are met.	Cear all
Mana User	Creat Wile dition to li ge groupin	e files / write data a faiders / proposed data attributes with the scope of this au	uditing en		will be logged on	a variation	9&60 k	Clear al

To answer, complete each statement according to the information presented in the exhibit. Each correct selection is worth one

point.	Answer Area	
	You must to ensure that an audit an event is logged when User2	vdify the Principal setting. dify the Principal setting. dify the Elempion of the setting. dify the condition for the Department va
Answ	m	odify the Principal setting odify the Permissions settings odify the condition for the Department va
	To ensure that an audit event is logged when User1 deletes files or	
	Server1, you must UUUUoPAA	modify the Principal setting. modify the Permissions settings risalify the Emolsyle Syle setting modify the condition for the Department va
	You must to ensure that an audi an event is logged when User? opens files on Server1	

QUESTION 18 Your network contains two servers named Server1 and Server2. Both servers run Windows Server 2012 R2 and have the DNS Server server role installed. Server1 hosts a primary zone for contoso.com. Server2 hosts a secondary zone for contoso.com. The zone is not configure to notify secondary servers of changes automatically. You update several records on Server1. You need to force the replication of the contoso.com zone records from Server1 to Server2. What should you do from Server2? A. Right-click Server2 and click Update Server Data Files. B. Right-click Server2 and click Refresh. C. Right-click the contoso.com zone and click Reload.

D. #160; Right-click the contoso.com zone and click Transfer from Master. Answer: D QUESTION 19 Your network contains an Active Directory domain named contoso.com. All servers run Windows Server 2012 R2. The network contains several group Managed Service Accounts that are used by four member servers. You need to ensure that if a group Managed Service Account resets a password of a domain user account, an audit entry is created. You create a Group Policy object (GPO) named GPO1. What should you do next? A. In GPO1, configure the Advanced Audit Policy Configuration settings for Audit User Account Management. Link GPO1 to the Domain Controllers organizational unit (OU). B. In

GPO1, configure the Advanced Audit Policy Configuration settings for Audit User Account Management. Move the member servers to a new organizational unit (OU). Link GPO1 to the new OU. C. In GPO1, configure the Advanced Audit Policy Configuration settings for Audit Sensitive Privilege Use. Link GPO1 to the Domain Controllers organizational unit (OU). D. In GPO1, configure the Advanced Audit Policy Configuration settings for Audit Sensitive Privilege Use. Move the member servers to a new organizational unit (OU). Link GPO1 to the new OU. Answer: A QUESTION 20 You have a DNS server named Server1 that has a Server Core Installation on Windows Server 2012 R2. You need to view the time-to-live (TTL) value of a name server (NS) record that is cached by the DNS Server service on Server1. What should you run? A. Show-DNSServerCache B. #160; #1