

Unabridged Pass4sure Microsoft 70-511 PDF Dumps Free Download (11-20)

QUESTION 11 You are developing a Windows Presentation Foundation (WPF) application. You have the following style defined in the app.xaml file. `<Style x:Key="btnItalic" x:Naitie="styleItalic" TargetType="{x:Type Button}"> <Setter`

`Property="FontStyle" Value="Italic"/> </Style>` You need to apply this style to a button named button1 in the application at run time. Which code segment should you use? A. `button1.Style = this.FindName("styleItalic") as Style;` B. `button1.Style = this.FindName("btnItalic") as Style;` C. `button1.Style = this.FindResource("btnItalic") as Style;` D. `button1.Style = this.FindResource("styleItalic") as Style;` Answer: C

QUESTION 12 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You add a custom command as a resource. The key of the command is saveCommand. You write the following code fragment. (Line numbers are included for reference only.)
01 `<Canvas>` 03 `<Button>` 05 `</Bucton>` 06 `</Canvas>` You need to ensure that saveCommand is executed when the user clicks the Button control. What should you do?

A. Insert the following code fragment at line 04. `<Button.Coiranand> <StaticResource ResourceKey="saveCoKiniand" /> </Button.Command>` B. Insert the following code fragment at line 04.

`<Button.CommandBindings> <CoRimandBinding Comitiant="{ StaticResource saveCoimtiand}" />`

`</Button.CommandBindings>` C. Insert the following code fragment at line 02.

`<Canvas.CommandBindings> <ComtnandBinding Command="{StaticResouce saveComroand}" /> </Canvas.CommandB`

`indings>` Replace line 03 with the following code fragment. `<Bucton CommandTarget="{Binding RelativeSource={RelativeSource Self}, Path=Parent}">` D. Insert the following code fragment at line 02.

`<Canvas.CommandBindings> <CommandBinding Command="{StaticResouce saveComroand}" />`

`</Canvas.CommandBindings>` Replace line 03 with the following code fragment. `<Buccon CommandPararoecec="{Binding`

`RelativeSource=(RelaciveSource Self), Path=Parent}">` Answer: A

QUESTION 13 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. The application displays a list of books. You write the following code fragment. (Line numbers are included for reference only.)

```
01 <Window.Resources>+
02 <XmlDataProvider x:Key="InventoryData" XPath="Books"> +
03 <x:XData>+
04 <Books xmlns="">+
05 <Book Title="XML in Action" Stock="in" />+
06 <Book Title="Inside C#" Stock="out" />+
07 <Book Title="Introducing Microsoft .NET" Stock="in"/>+
08 </Books>+
09 </x:XData>+
10 </XmlDataProvider>+
11 <Style x:Key="HyItemStyle" TargetType="{x:Type ListBoxItem}"> +
12 +
13 </Style>+
14 </Window.Resources>+
15 <ListBox ItemContainerStyle="{StaticResource HyItemStyle}"> +
16 <ListBox.ItemsSource>+
17 <Binding Source="{StaticResource InventoryData}" XPath="Book"/> +
18 </ListBox.ItemsSource>+
19 <ListBox.ItemTemplate>+
20 <DataTemplate>+
21 <TextBlock>+
22 <TextBlock.Text>+
23 <Binding XPath="@Title"/>+
24 </TextBlock.Text>+
25 </TextBlock>+
26 </DataTemplate>+
27 </ListBox.ItemTemplate>+
28 </ListBox>+
```

passleader.com

A. `<Style.Triggers> <Trigger Binding.XmlNamespaceHandler=""! Binding XPath"6Stock">`

`Value="out"> <Setter Property="Foreground" Value="Red" /> </Trigger> </Style.Triggers>` B. `<Style.Triggers> <DataTrigger Binding="<Binding XPath"0Stock)" Value=""out"> <Setter Pcopy="Foreground" Value="Ped"`

`/> </DataTrigger> </Style.Triggers>` C. `<Style.Triggers> <Trigger Binding.XmlNamespaceHandler="{Binding XPath=BookGStock)" Value="out"> <Setter Property="Foreground" Value="Red"`

`/> </Trigger> </Style.Triggers>` D. `<Style.Triggers> <DataTrigger Binding="{Binding XPath=Book8Stock)" Value="out"> <Setter Property="Foreground" Value="Red" /> </DataTrigger> </Style.Triggers>`

Answer: B

QUESTION 14 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You write the following code fragment. `< StackPanel TextBox.PreviewTextInput="StackPanel_PreviewTextInput" > < TextBox Name="TxtBoxA"/> < TextBox Name="TxtBoxB"/> < TextBox Name="TxtBoxC"/> </StackPanel>` You create an event handler named StackPanel_PreviewTextInput. You also have a collection of strings named Keywords. You need to ensure that TxtBoxA and TxtBoxB do not contain any of the strings in the Keywords collections. Which code segment should you

use? A. Use a bubbling routed event. In the button click event handler, set the Handled property to true. B. Use a bubbling routed event. In the button click event handler, set the Handled property to false. C. Use a standard Microsoft .NET event. Set the Handled property to true. D. Use a tunneling routed event. Set the Handled property to false.

Answer: D

QUESTION 15 You are developing a user control for a Windows Presentation Foundation (WPF) application. The user control contains a button. Both the user control and the hosting control must receive the button click event. You need to ensure that the user control responds to the button click event before the hosting control responds to the event. What should you do? A. Use a bubbling routed event. In the button click event handler, set the Handled property to true. B. Use a bubbling routed event. In the button click event handler, set the Handled property to false. C. Use a standard Microsoft .NET event. Set the Handled property to true. D. Use a tunneling routed event. Set the Handled property to false.

Answer: C

QUESTION 16 You use Microsoft .NET Framework 4 to create a Windows Presentation Framework (WPF) application. You plan to create a custom control that contains four text input fields. Each of the text input fields within the control will contain a label. You need to ensure that the text input fields within the control can be validated by using a regular expression validator. Which class should you inherit from? A. TextBox B. TextElement C. UIElement D. UserControl

Answer: D

QUESTION 17 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You write the following code fragment. (Line numbers are included for reference only.)

```

01 <StackPanel>
02   <StackPanel.Resources>
03     <ControlTemplate
04       TargetType="{x:Type Button}"
05       x:Key="btn">
06
07     </ControlTemplate>
08   </StackPanel.Resources>
09   <Button Content="Save"
10     Template="{StaticResource btn}" />
11   <Button Template="{StaticResource btn}">
12     <TextBox Text="Save" />
13   </Button>
14 </StackPanel>

```

You need to ensure that both Button controls display the "Save" text. Which code fragment should you insert at line 06? A. <TextBlock Text="{Binding}" /> B. <TextBlock Text="{TemplateBinding Content}" /> C. <ContentPresenter Content="{Binding}" /> D. <ContentPresenter />

Answer: D

QUESTION 18 You use Microsoft .NET Framework 4 to create a Windows Presentation Foundation (WPF) application. You want to add an audio player that plays .wav or .mp3 files when the user clicks a button. You plan to store the name of the file to a variable named SoundFilePath. You need to ensure that when a user clicks the button, the file provided by SoundFilePath plays. What should you do? A. Write the following code segment in the button onclick event. System.Media.SoundPlayer player = new System.Media.SoundPlayer(SoundFilePath); player.Play(); B. Write the following code segment in the button onclick event. MediaPlayer player = new MediaPlayer(); player.Open(new Uri(SoundFilePath), UriKind.Relative); player.Play(); C. Use the following code segment from the PlaySound() Win32 API function and call the PlaySound function in the button onclick event. [DllImport("winmm.dll")] public static extern long PlaySound(String SoundFilePath, long hModule, long dwFlags); D. Reference the Microsoft DirectX Dynamic Link Libraries. Use the following code segment in the button onclick event. Audio song = new Song(SoundFilePath); song.CurrentPosition = song.Duration; song.Play();

Answer: B

QUESTION 19 You use Microsoft .NET Framework 4 to create a Windows Forms application. You plan to use a Windows

Presentation Foundation (WPF) control of the UserControl1 type hosted in an ElementHost control named elementHost1. You write the following code segment. (Line numbers are included for reference only.)

```
01 public class WPFInWinForms {
02     public WPFInWinForms (
03     {
04         InitializeComponent();
05     }
06     }
07     private void OnBackColorChange(object sender, String propertyName,
08     {
09         ElementHost host = sender as ElementHost;
10         System.Drawing.Color col = (System.Drawing.Color)value;
11         SolidColorBrush brush =
12             new SolidColorBrush(System.Windows.Media.Color.FromRgb(col.R, col.G, col.B));
13         UserControl1 ucl = host.Child as UserControl1;
14         ucl.Background = brush;
15     }
16 }
```

passleader

You need to ensure that the application changes the background color of the hosted control when the background color of the form changes. Which code segment should you insert at line 05? A. elementHost1.PropertyMap.Remove("BackColor"); elementHost1.PropertyMap.Add("BackColor", new PropertyTranslator(OnBackColorChange)); B. elementHost1.PropertyMap.Remove("Background"); elementHost1.PropertyMap.Add("Background", new PropertyTranslator(OnBackColorChange)); C. elementHost1.PropertyMap.Add("BackColor", new PropertyTranslator(OnBackColorChange)); elementHost1.PropertyMap.Apply("BackColor"); D. elementHost1.PropertyMap.Add("Background", new PropertyTranslator(OnBackColorChange)); elementHost1.PropertyMap.Apply("Background");

QUESTION 20 You develop a Windows Presentation Foundation (WPF) application. This application is used to output data trends to customer service representatives. A data trend analysis is performed in a function named UpdateTrendData. The trend analysis is a long-running process. The application contains the following code segment. Class MainWindow: Window { private void UpdateData(object arg) { double data = UpdateTrendData(); ... } } UpdateData is currently invoked on the UI thread when the form is first displayed. You need to process the data in a manner that does not cause the UI to freeze. What should you do? A. Use ThreadPool.SetMaxThreads(2, 2) and invoke UpdateData. B. Use ThreadPool.QueueUserWorkItem to invoke UpdateData. C. Use this.Dispatcher.BeginInvoke to invoke UpdateData passing in the priority of Normal. D. Use this.Dispatcher.BeginInvoke to invoke UpdateData passing in the priority of Background.

Answer: B Unabridged Pass4sure Microsoft [70-511 PDF Dumps Free Download](#)

