


[May-2016 Dumps Latest PassLeader 57q 70-333 Exam Questions and Answers For Free Download

New Updated 70-333 Exam Questions from PassLeader 70-333 PDF dumps! Welcome to download the newest PassLeader 70-333 VCE dumps: <http://www.passleader.com/70-333.html> (57 Q&As) Keywords: 70-333 exam dumps, 70-333 exam questions, 70-333 VCE dumps, 70-333 PDF dumps, 70-333 practice tests, 70-333 study guide, 70-333 braindumps, Deploying Enterprise Voice with Skype for Business 2015 Exam Case Study 1 - Contoso, Ltd Case Study 2 - Litware, inc Case Study 3 - Humongous Insurance Case Study 4 - Trey Research Case Study 5 - Tailspin toys Case Study 6 - Contoso, LTD 2 General Overview Contoso, Ltd., is a manufacturing company that has 4,000 employees. The company has a sales department, a marketing department, a research department, and a human resources department. Physical Locations The company has four offices. The offices are configured as shown in the following table

Office location	Number of users	Extension prefix	Client subnet
New York	1,500	1	192.168.8.0/21
Miami	100	2	192.168.20.0/24
Los Angeles	400	3	192.168.30.0/23
Houston	200	4	192.168.40.0/24

The New York office contains the main data center. Communications for all of the offices is routed through the New York office. All telephone calls from the Los Angeles office and the Miami office are routed through a public switched telephone network (PSTN) gateway in the New York office. All offices connect to each other by using a wide area network (WAN) link. Each office connects directly to the Internet. NEW QUESTION 1 You have a Microsoft Exchange Server 2013 organization and a Skype for Business Server 2015 infrastructure. You need to design a Unified Messaging (UM) solution to meet the following requirements:- Support a peak concurrency of 500 calls.- Connect to two Skype for Business Server 2015 pools. What is the minimum number of mailbox servers that are required? A. 1 B. 2 C. 3 D. 5 Answer: C Explanation:

<http://technet.microsoft.com/en-us/library/aa997637> NEW QUESTION 2 Drag and Drop Question Contoso, Ltd., has five offices. The offices are configured as shown in the exhibit. Click the Exhibit button



Each office has a local connection to the public switched telephone network (PSTN). The peak usage statistics are shown in the following table

Office	Number of calls	Percentage of calls to North America	Percentage of calls to Europe
Redmond	10	50 percent	50 percent
Seattle	100	80 percent	20 percent
Amsterdam	50	20 percent	80 percent
Berlin	20	0 percent	100 percent
Paris	20	50 percent	50 percent

Every audio call consumes 100 kilobits per second (Kbps). You plan to replace the PSTN connection with a centralized SIP trunking service. The service will contain a Sip trunk in the Seattle office and a SIP trunk in the Amsterdam office. The solution must use least cost routing. You need to calculate the maximum amount of bandwidth that will be used by each SIP trunk. What is the maximum amount of bandwidth that will be used by each SIP trunk? To answer, drag the appropriate bandwidth amount to the correct SIP trunk in the answer area. Each bandwidth amount may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

Bandwidth	Answer Area
8,500 Kbps	Amsterdam SIP trunk: Bandwidth
9,500 Kbps	Seattle SIP trunk: Bandwidth
10,000 Kbps	
10,500 Kbps	
12,500 Kbps	

Answer	Bandwidth	Answer Area
8,500 Kbps		Amsterdam SIP trunk: 9,500 Kbps
9,500 Kbps		Seattle SIP trunk: 10,500 Kbps
10,000 Kbps		
10,500 Kbps		
12,500 Kbps		

NEW QUESTION 3 Drag and Drop Question You have a Skype for Business Server 2015 infrastructure. You have a Virtual Desktop Infrastructure (VDI) that uses Hyper-V. You use VDI templates based on Windows 8.1. All thin clients run Windows 8.1. Each thin client has a Skype for Business-qualified headset. You need to prepare all of the thin clients and all of the VDI templates so that users can place calls by using the headset. Which components should you install on the thin clients and the VDI templates? To answer, drag the appropriate components to the correct location in the answer area. Each component may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content

Components

- Skype for Business Phone Edition
- Skype for Business
- Lync VDI plug-in
- Windows 8 RDS client

Answer	Answer Area
Thin clients	Windows 8 RDS client
	Lync VDI plug-in
VDI templates	Skype for Business

Explanation: <https://itbasedtelco.wordpress.com/2013/06/17/lync-deployment-using-virtual-desktops-vdi/>

NEW QUESTION 4 You have a Skype for Business Server 2015 infrastructure. You configure the Skype for Business Server to require that each user has a location. You configure a location for each subnet. Users report that when they sign in, they are prompted for their location information. You need to prevent the users from being prompted for their location information when they sign in to Skype for Business on the internal network. Which Skype

for Business Management Shell cmdlet should you run? A. Publish-CsLISConfigurationB. Publish-CsTopologyC. Set-CsNetworkSubnetD. Export-CsLISconfiguration Answer: AExplanation:

<https://technet.microsoft.com/en-us/library/gg398364.aspx> NEW QUESTION 5You have a Skype for Business Server 2015 infrastructure. The infrastructure contains one central site. The infrastructure contains a Standard Edition server that has the Mediation Server role installed and is located in the central site. You configure a trunk to an IP-PBX. The IP-PBX is qualified for integration with Skype for Business. You have 300 users who are enabled for Enterprise Voice. You need to provide public switched telephone network (PSTN) services to the Enterprise Voice users if the IPPBX fails. Which two actions will achieve the goal? Each Answer: presents a complete solution. A. Install a Survivable Branch appliance that connects directly to the PSTN. Configure a new trunk and add thetrunk to the existing route. Add the route to the PSTN usage and add the PSTN usage to the voice policy.B. Install an additional IP-PBX that connects directly to the PSTN. Configure the existing trunk to use both IP-PBXs in resiliency mode.C. Install a PSTN gateway that connects directly to the PSTN. Configure a new trunk to the new PSTNgateway. Create a new route and a new PSTN usage. Add the route to the PSTN usage and add the PSTN usage to the voice policy.D. Install a new trunk to a certified SIP trunk provider. Add the trunk to the existing PSTN usage. Add thePSTN usage to the voice policy. Answer: CExplanation:

<https://technet.microsoft.com/en-us/library/jj721915.aspx><http://www.gecko-studio.co.uk/sip-trunk-lync-sir/> NEW QUESTION 6You have a Skype for Business Server 2015 infrastructure that has Enterprise Voice enabled. When a caller dials an unassigned number, the caller hears a custom message, and then the caller is forwarded to a user named User1. Several months later, User1 leaves the company. You need to ensure that when a caller dials an unassigned number, the caller hears the custom message and is forwarded to a user named User2. Which Skype for Business Management Shell cmdlet should you run? A. Set-CsVoiceRouteB. Set-CsAnnouncementC. Set-CsUnassignedNumberD. Set-CsUser Answer: BExplanation:

<https://technet.microsoft.com/en-us/library/gg425752.aspx> NEW QUESTION 7?? Download the newest PassLeader 70-333 dumps from passleader.com now! 100% Pass Guarantee! 70-333 PDF dumps & 70-333 VCE dumps:
<http://www.passleader.com/70-333.html> (57 Q&As)